

---

**CERTIFICATE OF ANALYSIS**

<b>Product Name</b>	DGL13K peptide, Cat.#: 318904 (TFA removed)
<b>Lot No.</b>	MTFB20798-260429
<b>Sequence</b>	Gkiiklkaskll-NH <sub>2</sub>
<b>Dissolution condition</b>	100%H <sub>2</sub> O
<b>Modification</b>	Acetate Salt; all D-form AAs; i=D-Allo-Ile
<b>Molecular Weight (MW)</b>	1423.87
<b>Storage</b>	-20°C

---

<b>Test Items</b>	<b>Specifications</b>	<b>Results</b>
<b>MW by MS</b>	1424.10	Conforms
<b>Purity by HPLC</b>	>95%	98.580%
<b>Endotoxin Content</b>	N/A	N/A
<b>TFA solubility</b>	N/A	N/A
<b>Moisture content</b>	N/A	N/A
<b>Peptide content</b>	N/A	N/A
<b>Appearance</b>	White to off-white lyophilized powder	Conforms
<b>Quantity</b>	10mg	5.0mg*2

---

NovoPro Bioscience Inc. (hereafter NovoPro) warrants material of said quality at the time of sale. It is the sole responsibility of the customers to determine the adequacy of all materials for any intended or specific purpose or use. NovoPro's sole obligation is to replace the material up to the extent of the purchase price. This warranty applies only to products in original packaging and does not apply to a product which has been tampered with or altered in any way in or which has been misused or damaged by accident or negligence. All claims must be received writing (by fax or email) within 30 days from date when product arrive at the destination city and failure to do so shall constitute a waiver by customers for any and all such claims.

Certified by:



May/26/2026

Quality Assurance Department




Sample Information

Order ID :MTFB20798  
 Name :DGL13K peptide, Cat.#: 318904 (TFA removed)  
 Sequence :Gkiiklkaskll-NH2 (Acetate Salt)  
 Lot. No :MTFB20798-260429  
 Pump A :0.1%Trifluoroacetic in 100% water  
 Pump B :0.1%Trifluoroacetic in 100% acetonitrile  
 Total Flow :1ml/min  
 Wavelength :214nm  
 Analytical column type :Kromasil 100-5-C18 (4.6\*250mm\*5 µm)  
 Dissolution method :100%H2O  
 Inj. Volume : 10ul

Time	Module	Action	Value
0.01	Pumps	B.Conc	20
30.00	Pumps	B.Conc	50
33.00	Pumps	B.Conc	100
38.00	Pumps	B.Conc	100
40.00	Pumps	B.Conc	20
50.00	Controller	Stop	

Chromatogram




Peak Table

Detector A 214nm

Peak#	Ret. Time	Area	Height	Area%
1	15.356	1964	329	0.095
2	15.919	2035046	241482	98.580
3	16.129	22685	6546	1.099
4	16.666	4675	765	0.226
Total		2064369	249123	100.000

### MS Spectrum



### Sample Information

Dissolution method	:15% ACN+85% H <sub>2</sub> O	Interface	:ESI	Prerod Bias	:+4.5kv
Date Acquired	:2026/05/25 14:25:06	Nebulizing Gas Flow	:1.50L/min	Detector	:-0.2kv
Injection Volume	:0.2ul	CDL Temp	:250°C	T.Flow	:0.2ml/min
Block Temp	:200	CDL Volt	:0v	B.conc	:50% H <sub>2</sub> O/50% MEOH

Order ID	:MTFB20798
Name	:DGL13K peptide, Cat.#: 318904 (TFA removed)
Sequence	:Gkiiklkaslkll-NH <sub>2</sub> (Acetate Salt)
Lot.No	:MTFB20798-260429
Theoretical	:1423.87
Observed	:1424.10