
CERTIFICATE OF ANALYSIS

Product Name	Diptericin peptide, Cat.#: 302194
Lot No.	GTA34371-0712
Sequence	DLHIPPPDNKINWPQLSGGGGGSPKTGYDININAQQK
Dissolution condition	100%H ₂ O
Length	37AA
Modification	N/A
Molecular Weight (MW)	3928.32
Storage	-20°C

Test Items	Specifications	Results
MW by MS	3928.65	Conforms
Purity by HPLC	>95%	95.508%
Peptide Content	N/A	N/A
Moisture content	N/A	N/A
Acetic acid content	N/A	N/A
Appearance	White to off-white lyophilized powder	Conforms
Quantity	20mg	5.0mg*4

NovoPro Bioscience Inc. (hereafter NovoPro) warrants material of said quality at the time of sale. It is the sole responsibility of the customers to determine the adequacy of all materials for any intended or specific purpose or use. NovoPro's sole obligation is to replace the material up to the extent of the purchase price. This warranty applies only to products in original packaging and does not apply to a product which has been tampered with or altered in any way in or which has been misused or damaged by accident or negligence. All claims must be received writing (by fax or email) within 30 days from date when product arrive at the destination city and failure to do so shall constitute a waiver by customers for any and all such claims.

Certified by:



Quality Assurance Department

Aug/06/2022




Sample Information

Order ID :GTA34371
 Name :Diptericin peptide,Cat.#: 302194
 Sequence :DLHIPPPDNKINWPQLSGGGGGSPKTYDININAQQK
 Lot. No :GTA34371-0712
 Pump A :0.1% Trifluoroacetic in 100% water
 Pump B :0.1% Trifluoroacetic in 100% acetonitrile
 Total Flow :1ml/min
 Wavelength :214nm
 Analytical column type :YMC-Triart C18(4.6*250mm*5um)
 Dissolution method :100% H2O
 Inj. Volume : 25ul

Time	Module	Action	Value
0.01	Pumps	B.Conc	20
20.00	Pumps	B.Conc	40
33.00	Pumps	B.Conc	100
38.00	Pumps	B.Conc	100
40.00	Pumps	B.Conc	20
50.00	Controller	Stop	

Chromatogram




Peak Table

Detector A 214nm

Peak#	Ret. Time	Area	Height	Area%
1	9.495	3409	539	0.023
2	11.921	309621	42041	2.109
3	12.131	14019748	978908	95.508
4	12.463	336709	51579	2.294
5	13.623	3858	558	0.026
6	14.039	5769	884	0.039
Total		14679112	1074509	100.000

MS Spectrum



Sample Information

Dissolution method	:15% ACN+85% H ₂ O	Interface	:ESI	Prerod Bias	:+4.5kv
Date Acquired	:2022/07/30 13:01:01	Nebulizing Gas Flow	:1.50L/min	Detector	:-0.2kv
Injection Volume	:0.2ul	CDL Temp	:250C	T.Flow	:0.2ml/min
Block Temp	:200	CDL Volt	:0v	B.conc	:50% H ₂ O/50% MEOH

Order ID	:GTA34371
Name	:Diptericin peptide, Cat.#: 302194
Sequence	:DLHIPPPDNKINWPKLSGGGGGSPKTYDININAQQK
Lot.No	:GTA34371-0712
Theoretical	:3928.32
Observed	:3928.65