


CERTIFICATE OF ANALYSIS

Product Name	Elamipretide/SS-31 Cat.#: 318879 (TFA removed)
Lot No.	MTFA30936-0119
Sequence	D-Arg-Dmt-Lys-Phe-NH ₂ (Acetate Salt)
Dissolution condition	100%H ₂ O
Length	4AA
Modification	acetate salt
Molecular Weight (MW)	639.73
Storage	-20°C

Test Items	Specifications	Results
MW by MS	639.70	Conforms
Purity by HPLC	>95%	99.559%
Peptide content	N/A	N/A
Moisture content	N/A	N/A
Acetic acid content	N/A	N/A
Appearance	White to off-white lyophilized powder	Conforms
Quantity	500mg	5.0mg*100

NovoPro Bioscience Inc. (hereafter NovoPro) warrants material of said quality at the time of sale. It is the sole responsibility of the customers to determine the adequacy of all materials for any intended or specific purpose or use. NovoPro's sole obligation is to replace the material up to the extent of the purchase price. This warranty applies only to products in original packaging and does not apply to a product which has been tampered with or altered in any way in or which has been misused or damaged by accident or negligence. All claims must be received writing (by fax or email) within 30 days from date when product arrive at the destination city and failure to do so shall constitute a waiver by customers for any and all such claims.

Certified by:



Jan/25/2024

Quality Assurance Department




Sample Information

Order ID :MTFA30936
 Name :Elamipretide/SS-31
 Sequence :D-Arg-Dmt-Lys-Phe-NH2 (Acetate Salt)
 Lot. No :MTFA30936-0119
 Pump A :0.1% Trifluoroacetic in 100% water
 Pump B :0.1% Trifluoroacetic in 100% acetonitrile
 Total Flow :1ml/min
 Wavelength :214nm
 Analytical column type :Inertsil ODS-SP(4.6*250mm*5um)
 Dissolution method :100% H2O
 Inj. Volume : 15ul

Time	Module	Action	Value
0.01	Pumps	B.Conc	10
25.00	Pumps	B.Conc	35
33.00	Pumps	B.Conc	100
38.00	Pumps	B.Conc	100
40.00	Pumps	B.Conc	10
50.00	Controller	Stop	

Chromatogram




Peak Table

Detector A 214nm

Peak#	Ret. Time	Area	Height	Area%
1	12.613	5102019	470244	99.559
2	13.323	9723	696	0.190
3	14.636	3430	426	0.067
4	17.475	9462	1243	0.185
Total		5124634	472609	100.000

MS Spectrum



Sample Information

Dissolution method	:15% ACN+85% H ₂ O	Interface	:ESI	Prerod Bias	:+4.5kv
Date Acquired	:2024/01/24 13:46:06	Nebulizing Gas Flow	:1.50L/min	Detector	:-0.2kv
Injection Volume	:0.2ul	CDL Temp	:250°C	T.Flow	:0.2ml/min
Block Temp	:200	CDL Volt	:0v	B.conc	:50% H ₂ O/50% MEOH

Order ID	:MTFA30936
Name	:Elamipretide/SS-31
Sequence	:D-Arg-Dmt-Lys-Phe-NH ₂ (Acetate Salt)
Lot.No	:MTFA30936-0119
Theoretical	:639.73
Observed	:639.70