

CERTIFICATE OF ANALYSIS

Product Name	Esculentin 2P, Cat.#: 313944 (TFA removed)
Lot No.	MTFA31956-1-1015
Sequence	GIFSLIKGAAKVVAKGLGKEVVGKFGDLDMAC*KVTNQC*-NH2 (Acetate Salt)
Dissolution condition	15%ACN+85%H2O
Length	37AA
Modification	acetate salt; disulfide bond: Cys31-Cys37
Molecular Weight (MW)	3792.58
Storage	-20°C

Test Items	Specifications	Results
MW by MS	3792.75	Conforms
Purity by HPLC	>95%	98.188%
Peptide content	N/A	N/A
Moisture content	N/A	N/A
Acetic acid content	N/A	N/A
Appearance	White to off-white lyophilized powder	Conforms
Quantity	10mg	5.0mg*2

NovoPro Bioscience Inc. (hereafter NovoPro) warrants material of said quality at the time of sale. It is the sole responsibility of the customers to determine the adequacy of all materials for any intended or specific purpose or use. NovoPro's sole obligation is to replace the material up to the extent of the purchase price. This warranty applies only to products in original packaging and does not apply to a product which has been tampered with or altered in any way in or which has been misused or damaged by accident or negligence. All claims must be received writing (by fax or email) within 30 days from date when product arrive at the destination city and failure to do so shall constitute a waiver by customers for any and all such claims.

Certified by:



Quality Assurance Department

Nov/25/2024




Sample Information

Order ID :MTFA31956-1
 Name :Esculentin 2P (TFA removed)
 Sequence :GIFSLIKGAAKVVAKGLGKEVGKFGLDLMAC*KVTNQC*-NH2
 (Acetate Salt)
 Lot. No :MTFA31956-1-1015
 Pump A :0.1%Trifluoroacetic in 100% water
 Pump B :0.1%Trifluoroacetic in 100% acetonitrile
 Total Flow :1ml/min
 Wavelength :214nm
 Analytical column type :Kromasil 100-5-C18 (4.6*250mm*5 μm)
 Dissolution method :15%ACN+85%H2O
 Inj. Volume : 25ul

Time	Module	Action	Value
0.01	Pumps	B.Conc	30
30.00	Pumps	B.Conc	60
33.00	Pumps	B.Conc	100
38.00	Pumps	B.Conc	100
40.00	Pumps	B.Conc	30
50.00	Controller	Stop	


Chromatogram



Peak Table

Detector A 214nm				
Peak#	Ret. Time	Area	Height	Area%
1	16.709	57612	4307	0.709
2	17.544	5295	437	0.065
3	19.028	7982591	537007	98.188
4	19.513	10319	984	0.127
5	20.568	30206	1722	0.372
6	22.579	4632	376	0.057
7	23.133	39226	2596	0.482
Total		8129881	547428	100.000

MS Spectrum



Sample Information

Dissolution method	:15% ACN+85% H ₂ O	Interface	:ESI	Prerod Bias	:+4.5kv
Date Acquired	:2024/11/22 15:13:15	Nebulizing Gas Flow	:1.50L/min	Detector	:-0.2kv
Injection Volume	:0.2ul	CDL Temp	:250°C	T.Flow	:0.2ml/min
Block Temp	:200	CDL Volt	:0v	B.conc	:50% H ₂ O/50% MEOH

Order ID	:MTFA31956-1
Name	:Esculentin 2P (TFA removed)
Sequence	:GIFSLIKGAAKVVAKGLGKEVKGFLDLMAC*KVTNQC*-NH ₂ (Acetate Salt)
Lot.No	:MTFA31956-1-1015
Theoretical	:3792.58
Observed	:3792.75