

CERTIFICATE OF ANALYSIS

Product Name	H-Trp-Asn-OH peptide, Cat.#: 311046 (TFA removed)
Lot No.	MTFA30912-2-0115
Sequence	WN (Acetate Salt)
Dissolution condition	100%H ₂ O
Length	2AA
Modification	acetate salt
Molecular Weight (MW)	318.33
Storage	-20°C

Test Items	Specifications	Results
MW by MS	318.15	Conforms
Purity by HPLC	>95%	96.708%
Peptide content	N/A	N/A
Moisture content	N/A	N/A
Acetic acid content	N/A	N/A
Appearance	White to off-white lyophilized powder	Conforms
Quantity	60mg	5.0mg*12

NovoPro Bioscience Inc. (hereafter NovoPro) warrants material of said quality at the time of sale. It is the sole responsibility of the customers to determine the adequacy of all materials for any intended or specific purpose or use. NovoPro's sole obligation is to replace the material up to the extent of the purchase price. This warranty applies only to products in original packaging and does not apply to a product which has been tampered with or altered in any way in or which has been misused or damaged by accident or negligence. All claims must be received writing (by fax or email) within 30 days from date when product arrive at the destination city and failure to do so shall constitute a waiver by customers for any and all such claims.

Certified by:



Quality Assurance Department

Jan/31/2024




Sample Information

Order ID :MTFA30912-2
 Name :H-Trp-Asn-OH peptide
 Sequence :WN (Acetate Salt)
 Lot. No :MTFA30912-2-0115
 Pump A :0.1%Trifluoroacetic in 100% water
 Pump B :0.1%Trifluoroacetic in 100% acetonitrile
 Total Flow :1ml/min
 Wavelength :214nm
 Analytical column type :Phenomenex Luna® 5 µm C18(2) (4.6*250mm*5 µm)
 Dissolution method :100%H2O
 Inj. Volume : 2ul

Time	Module	Action	Value
0.01	Pumps	B.Conc	0.1
20.00	Pumps	B.Conc	20
33.00	Pumps	B.Conc	100
38.00	Pumps	B.Conc	100
40.00	Pumps	B.Conc	0.1
50.00	Controller	Stop	


Chromatogram



Peak Table

Detector A 214nm				
Peak#	Ret. Time	Area	Height	Area%
1	8.766	918	189	0.028
2	10.263	43189	2548	1.329
3	10.420	3142165	427690	96.708
4	10.621	44908	1663	1.382
5	10.937	9818	1375	0.302
6	11.375	8123	1099	0.250
Total		3249121	434565	100.000

MS Spectrum



Sample Information

Dissolution method	:15% ACN+85% H ₂ O	Interface	:ESI	Prerod Bias	:+4.5kv
Date Acquired	:2024/01/19 14:06:00	Nebulizing Gas Flow	:1.50L/min	Detector	:-0.2kv
Injection Volume	:0.2ul	CDL Temp	:250°C	T.Flow	:0.2ml/min
Block Temp	:200	CDL Volt	:0v	B.conc	:50% H ₂ O/50% MEOH

Order ID	:MTFA30912-2
Name	:H-Trp-Asn-OH peptide
Sequence	:WN (Acetate Salt)
Lot.No	:MTFA30912-2-0115
Theoretical	:318.33
Observed	:318.15