

CERTIFICATE OF ANALYSIS

Product Name	Inducing factor peptide (Cat.#: 300935), TFA removed
Lot No.	MTFA30984-0202
Sequence	MAGNSSNFIHKIKQIFTHR (Acetate Salt)
Dissolution condition	100%H ₂ O
Length	19AA
Modification	acetate salt
Molecular Weight (MW)	2229.59
Storage	-20°C

Test Items	Specifications	Results
MW by MS	2230.00	Conforms
Purity by HPLC	>95%	95.403%
Peptide content	N/A	N/A
Moisture content	N/A	N/A
Acetic acid content	N/A	N/A
Appearance	White to off-white lyophilized powder	Conforms
Quantity	50mg	5.0mg*10

NovoPro Bioscience Inc. (hereafter NovoPro) warrants material of said quality at the time of sale. It is the sole responsibility of the customers to determine the adequacy of all materials for any intended or specific purpose or use. NovoPro's sole obligation is to replace the material up to the extent of the purchase price. This warranty applies only to products in original packaging and does not apply to a product which has been tampered with or altered in any way in or which has been misused or damaged by accident or negligence. All claims must be received writing (by fax or email) within 30 days from date when product arrive at the destination city and failure to do so shall constitute a waiver by customers for any and all such claims.

Certified by:



Quality Assurance Department

Jan/06/2024




Sample Information

Order ID :MTFA30984
 Name :Inducing factor peptide, Cat.#: 300935
 Sequence :MAGNSSNFIHKIKQIFTHR (Acetate Salt)
 Lot. No :MTFA30984-0202
 Pump A :0.1%Trifluoroacetic in 100% water
 Pump B :0.1%Trifluoroacetic in 100% acetonitrile
 Total Flow :1ml/min
 Wavelength :214nm
 Analytical column type :Phenomenex Luna® 5 µm C18(2) (4.6*250mm*5 µm)
 Dissolution method :100%H2O
 Inj. Volume : 20ul

Time	Module	Action	Value
0.01	Pumps	B.Conc	25
20.00	Pumps	B.Conc	45
33.00	Pumps	B.Conc	100
38.00	Pumps	B.Conc	100
40.00	Pumps	B.Conc	25
50.00	Controller	Stop	


Chromatogram



Peak Table

Detector A 214nm				
Peak#	Ret. Time	Area	Height	Area%
1	9.085	17122	2455	0.072
2	11.638	654476	33890	2.739
3	11.893	22798750	2415325	95.403
4	12.129	426849	60677	1.786
Total		23897197	2512347	100.000

MS Spectrum



Sample Information

Dissolution method	:15%ACN+85%H2O	Interface	:ESI	Prerod Bias	:+4.5kv
Date Acquired	:2023/12/06 10:31:52	Nebulizing Gas Flow	:1.50L/min	Detector	:-0.2kv
Injection Volume	:0.2ul	CDL Temp	:250°C	T.Flow	:0.2ml/min
Block Temp	:200	CDL Volt	:0v	B.conc	:50%H2O/50%MEOH

Order ID	:MTFA30984
Name	:Inducing factor peptide, Cat.#: 300935
Sequence	:MAGSSNFIHKIKQIFTHR (Acetate Salt)
Lot.No	:MTFA30984-0202
Theoretical	:2229.59
Observed	:2230.00