

CERTIFICATE OF ANALYSIS

Product Name	NVG-291, TAT-ISP (Human), Cat.#: 319761 (TFA removed)
Lot No.	MTFB21023-260716
Sequence	GRKKRRQRRRCDMAEHTERLKANDSLKLSQEYESI-NH2 (HCl Salt)
Dissolution condition	100%H2O
Modification	HCl Salt
Molecular Weight (MW)	4288.82
Storage	-20°C

Test Items	Specifications	Results
MW by MS	4289.60	Conforms
Purity by HPLC	>98%	98.110%
Endotoxin Content	N/A	N/A
TFA solubility	≤0.5%	0%, undetectable
Moisture content	N/A	N/A
Peptide content	N/A	N/A
Appearance	White to off-white lyophilized powder	Conforms
Quantity	540.0mg	5.0mg*108

NovoPro Bioscience Inc. (hereafter NovoPro) warrants material of said quality at the time of sale. It is the sole responsibility of the customers to determine the adequacy of all materials for any intended or specific purpose or use. NovoPro's sole obligation is to replace the material up to the extent of the purchase price. This warranty applies only to products in original packaging and does not apply to a product which has been tampered with or altered in any way in or which has been misused or damaged by accident or negligence. All claims must be received writing (by fax or email) within 30 days from date when product arrive at the destination city and failure to do so shall constitute a waiver by customers for any and all such claims.

Certified by:



Jul/20/2026

Quality Assurance Department




Sample Information

Order ID :MTFB21023
 Name :NVG-291, TAT-ISP (Human), Cat.#: 319761 (TFA removed)
 Sequence :GRKKRRQRRRCDMAEHTERLKANDSLKLSQEYESI-NH₂(HCl Salt)
 Lot.No :MTFB21023-260716
 Pump A :0.1%Trifluoroacetic in 100% water
 Pump B :0.1%Trifluoroacetic in 100% acetonitrile
 Total Flow :1ml/min
 Wavelength :214nm
 Analytical column type :Kromasil 100-5-C18 (4.6*250mm*5 µm)
 Dissolution method :100%H₂O
 Inj. Volume : 30ul

Time	Module	Action	Value
0.01	Pumps	B.Conc	10
30.00	Pumps	B.Conc	40
33.00	Pumps	B.Conc	100
38.00	Pumps	B.Conc	100
40.00	Pumps	B.Conc	10
50.00	Controller	Stop	

Chromatogram


mV



Peak Table

Detector A 214nm

Peak#	Ret. Time	Area	Height	Area%
1	9.202	5596	602	0.040
2	16.176	2739	511	0.019
3	17.409	132518	11508	0.938
4	17.766	13856320	1256844	98.110
5	19.084	110282	7880	0.781
6	27.772	15730	1194	0.111
Total		14123185	1278538	100.000



Sample Information

Dissolution method	:15%ACN+85%H ₂ O	Interface	:ESI	Prerod Bias	:+4.5kv
Date Acquired	:2026/07/16 14:52:02	Nebulizing Gas Flow	:1.50L/min	Detector	:-0.2kv
Injection Volume	:0.2ul	CDL Temp	:250°C	T.Flow	:0.2ml/min
Block Temp	:200	CDL Volt	:0v	B.conc	:50%H ₂ O/50%MEOH

Order ID	:MTFB21023
Name	:NVG-291, TAT-ISP (Human), Cat.#: 319761 (TFA removed)
Sequence	:GRKKRRQRRRCDMAEHTERLKANDSLKLSQEYESI-NH ₂ (HCl Salt)
Lot.No	:MTFB21023-260716
Theoretical	:4288.82
Observed	:4289.60