

## CERTIFICATE OF ANALYSIS

<b>Product Name</b>	Pardaxin 1 peptide, Cat.#: 319539 (TFA removed)
<b>Lot No.</b>	MTFA31119-0318
<b>Sequence</b>	GFFALIPKIISSPLFKTLLSAVGSALSSSGEQE (Acetate Salt)
<b>Dissolution condition</b>	30%ACN+70%H <sub>2</sub> O
<b>Length</b>	33AA
<b>Modification</b>	acetate salt
<b>Molecular Weight (MW)</b>	3395.88
<b>Storage</b>	-20°C

<b>Test Items</b>	<b>Specifications</b>	<b>Results</b>
<b>MW by MS</b>	3396.45	Conforms
<b>Purity by HPLC</b>	>95%	95.318%
<b>Peptide content</b>	N/A	N/A
<b>Moisture content</b>	N/A	N/A
<b>Acetic acid content</b>	N/A	N/A
<b>Appearance</b>	White to off-white lyophilized powder	Conforms
<b>Quantity</b>	10mg	5.0mg*2

NovoPro Bioscience Inc. (hereafter NovoPro) warrants material of said quality at the time of sale. It is the sole responsibility of the customers to determine the adequacy of all materials for any intended or specific purpose or use. NovoPro's sole obligation is to replace the material up to the extent of the purchase price. This warranty applies only to products in original packaging and does not apply to a product which has been tampered with or altered in any way in or which has been misused or damaged by accident or negligence. All claims must be received writing (by fax or email) within 30 days from date when product arrive at the destination city and failure to do so shall constitute a waiver by customers for any and all such claims.

Certified by:



Apr/03/2024

Quality Assurance Department




### Sample Information

Order ID :MTFA31119  
 Name :Pardaxin 1  
 Sequence :GFFALIPKIISSPLFKTLLSAVGSALSSSSGEQE (Acetate Salt)  
 Lot. No :MTFA31119-0318  
 Pump A :0.1%Trifluoroacetic in 100% water  
 Pump B :0.1%Trifluoroacetic in 100% acetonitrile  
 Total Flow :1ml/min  
 Wavelength :214nm  
 Analytical column type :Phenomenex Luna® 5 µm C18(2) (4.6\*250mm\*5 µm)  
 Dissolution method :30%ACN+70%H2O  
 Inj. Volume : 40ul

Time	Module	Action	Value
0.01	Pumps	B.Conc	40
30.00	Pumps	B.Conc	70
33.00	Pumps	B.Conc	100
38.00	Pumps	B.Conc	100
40.00	Pumps	B.Conc	40
50.00	Controller	Stop	

### Chromatogram




Peak Table

Detector A 214nm

Peak#	Ret. Time	Area	Height	Area%
1	3.899	113257	18107	0.477
2	6.287	10837	1150	0.046
3	8.787	5131	647	0.022
4	15.477	222601	4224	0.937
5	16.134	22654492	1111088	95.318
6	17.176	551913	12795	2.322
7	20.727	18441	978	0.078
8	21.800	7825	449	0.033
9	23.176	142180	6620	0.598
10	24.187	40717	1999	0.171
Total		23767393	1158057	100.000

### MS Spectrum



### Sample Information

Dissolution method	:30%ACN+70%H2O	Interface	:ESI	Prerod Bias	:+4.5kv
Date Acquired	:2024/04/02 11:03:48	Nebulizing Gas Flow	:1.50L/min	Detector	:-0.2kv
Injection Volume	:0.2ul	CDL Temp	:250°C	T.Flow	:0.2ml/min
Block Temp	:200	CDL Volt	:0v	B.conc	:50% H2O/50% MEOH

Order ID	:MTFA31119
Name	:Pardaxin 1
Sequence	:GFFALIPKIISSPLFKTLLSAVGSALSSSGEQE (Acetate Salt)
Lot.No	:MTFA31119-0318
Theoretical	:3395.88
Observed	:3396.45