

CERTIFICATE OF ANALYSIS

Product Name	Peg MGF peptide, Cat.#: 300016
Lot No.	MTFB20665-01-260323
Sequence	PEG2-YQPPSTNKNTKSQRRKGSTFEEHK-NH2
Dissolution condition	100%H2O
Modification	N/A
Molecular Weight (MW)	2993.27
Storage	-20°C

Test Items	Specifications	Results
MW by MS	2994.00	Conforms
Purity by HPLC	>95%	95.154%
Endotoxin Content	N/A	N/A
TFA solubility	N/A	N/A
Moisture content	N/A	N/A
Peptide content	N/A	N/A
Appearance	White to off-white lyophilized powder	Conforms
Quantity	20 mg	5.0mg*4

NovoPro Bioscience Inc. (hereafter NovoPro) warrants material of said quality at the time of sale. It is the sole responsibility of the customers to determine the adequacy of all materials for any intended or specific purpose or use. NovoPro's sole obligation is to replace the material up to the extent of the purchase price. This warranty applies only to products in original packaging and does not apply to a product which has been tampered with or altered in any way in or which has been misused or damaged by accident or negligence. All claims must be received writing (by fax or email) within 30 days from date when product arrive at the destination city and failure to do so shall constitute a waiver by customers for any and all such claims.

Certified by: 
Quality Assurance Department

May/15/2026




Sample Information

Order ID :MTFB20665-01
 Name :Peg MGF
 Sequence :PEG2-YQPPSTNKNTKSQRRKGSTFEEHK-NH2
 Lot. No :MTFB20665-01-260323
 Pump A :0.1%Trifluoroacetic in 100% water
 Pump B :0.1%Trifluoroacetic in 100% acetonitrile
 Total Flow :1ml/min
 Wavelength :214nm
 Analytical column type :Kromasil 100-5-C18 (4.6*250mm*5 µm)
 Dissolution method :100%H2O
 Inj. Volume : 15ul

Time	Module	Action	Value
0.01	Pumps	B.Conc	10
30.00	Pumps	B.Conc	40
33.00	Pumps	B.Conc	100
38.00	Pumps	B.Conc	100
40.00	Pumps	B.Conc	10
50.00	Controller	Stop	

Chromatogram

mV




Peak Table

Detector A 214nm

Peak#	Ret. Time	Area	Height	Area%
1	9.319	229392	7707	3.253
2	10.838	31993	8713	0.454
3	11.062	6709817	657576	95.154
4	11.591	71302	1609	1.011
5	17.282	9057	877	0.128
Total		7051562	676483	100.000

MS Spectrum



Sample Information

Dissolution method	:15% ACN+85% H ₂ O	Interface	:ESI	Prerod Bias	:+4.5kv
Date Acquired	:2026/05/12 16:36:10	Nebulizing Gas Flow	:1.50L/min	Detector	:-0.2kv
Injection Volume	:0.2ul	CDL Temp	:250°C	T.Flow	:0.2ml/min
Block Temp	:200	CDL Volt	:0v	B.conc	:50% H ₂ O/50% MEOH

Order ID	:MTFB20665-01
Name	:Peg MGF
Sequence	:PEG2-YQPPSTNKNTKSQRRKGGSTFEEHK-NH2
Lot.No	:MTFB20665-01-260323
Theoretical	:2993.27
Observed	:2994.00