

CERTIFICATE OF ANALYSIS

Product Name	Urodilatin, Cat.#: 310875 (TFA removed)
Lot No.	MTFA31997-1024
Sequence	TAPRSLRRSSC*FGGRMDRIGAQSLGC*NSFRY (Acetate Salt)
Dissolution condition	100%H2O
Length	32AA
Modification	acetate salt; Disulfide bond C11-C27
Molecular Weight (MW)	3505.90
Storage	-20°C

Test Items	Specifications	Results
MW by MS	3506.40	Conforms
Purity by HPLC	>95%	95.124%
Peptide content	N/A	N/A
Moisture content	N/A	N/A
Acetic acid content	N/A	N/A
Appearance	White to off-white lyophilized powder	Conforms
Quantity	10mg	5.0mg*2

NovoPro Bioscience Inc. (hereafter NovoPro) warrants material of said quality at the time of sale. It is the sole responsibility of the customers to determine the adequacy of all materials for any intended or specific purpose or use. NovoPro's sole obligation is to replace the material up to the extent of the purchase price. This warranty applies only to products in original packaging and does not apply to a product which has been tampered with or altered in any way in or which has been misused or damaged by accident or negligence. All claims must be received writing (by fax or email) within 30 days from date when product arrive at the destination city and failure to do so shall constitute a waiver by customers for any and all such claims.

Certified by:



Nov/29/2024



Quality Assurance Department


Sample Information

Order ID :MFA31997
 Name :Urodilatin
 Sequence :TAPRSLRRSSC*FGGRMDRIGASGLGC*NSFRY (Acetate Salt)
 Lot. No :MFA31997-1024
 Pump A :0.1%Trifluoroacetic in 100% water
 Pump B :0.1%Trifluoroacetic in 100% acetonitrile
 Total Flow :1ml/min
 Wavelength :214nm
 Analytical column type :Kromasil 100-5-C18 (4.6*250mm*5 µm)
 Dissolution method :100%H2O
 Inj. Volume : 30ul

Time	Module	Action	Value
0.01	Pumps	B.Conc	20
30.00	Pumps	B.Conc	50
33.00	Pumps	B.Conc	100
38.00	Pumps	B.Conc	100
40.00	Pumps	B.Conc	20
50.00	Controller	Stop	

Chromatogram

mV




Peak Table

Detector A 214nm

Peak#	Ret. Time	Area	Height	Area%
1	9.766	27740	3332	0.109
2	10.754	695804	28346	2.745
3	11.124	24113170	1288802	95.124
4	11.754	512471	33820	2.022
Total		25349185	1354299	100.000

MS Spectrum



Sample Information

Dissolution method	:15% ACN+85% H ₂ O	Interface	:ESI	Prerod Bias	:+4.5kv
Date Acquired	:2024/11/14 15:47:47	Nebulizing Gas Flow	:1.50L/min	Detector	:-0.2kv
Injection Volume	:0.2ul	CDL Temp	:250°C	T.Flow	:0.2ml/min
Block Temp	:200	CDL Volt	:0v	B.conc	:50% H ₂ O/50% MEOH

Order ID	:MTFA31997
Name	:Urodilatin
Sequence	:TAPRSLRRSSC*FGGRMDRIGAQSGLGC*NSFRY (Acetate Salt)
Lot.No	:MTFA31997-1024
Theoretical	:3505.90
Observed	:3506.40