

---

**CERTIFICATE OF ANALYSIS**

<b>Product Name</b>	neuropeptide NAP, Cat.#: 318153 (TFA removed)
<b>Lot No.</b>	MTFB20684-01-260326
<b>Sequence</b>	NAPVSIPQ (Acetate Salt)
<b>Dissolution condition</b>	100%H <sub>2</sub> O
<b>Modification</b>	Acetate salt
<b>Molecular Weight (MW)</b>	824.93
<b>Storage</b>	-20°C

---

<b>Test Items</b>	<b>Specifications</b>	<b>Results</b>
<b>MW by MS</b>	824.50	Conforms
<b>Purity by HPLC</b>	>95%	99.277%
<b>Endotoxin Content</b>	N/A	N/A
<b>TFA solubility</b>	N/A	N/A
<b>Moisture content</b>	N/A	N/A
<b>Acetic acid content</b>	N/A	N/A
<b>Appearance</b>	White to off-white lyophilized powder	Conforms
<b>Quantity</b>	20mg	5.0mg*4

---

NovoPro Bioscience Inc. (hereafter NovoPro) warrants material of said quality at the time of sale. It is the sole responsibility of the customers to determine the adequacy of all materials for any intended or specific purpose or use. NovoPro's sole obligation is to replace the material up to the extent of the purchase price. This warranty applies only to products in original packaging and does not apply to a product which has been tampered with or altered in any way in or which has been misused or damaged by accident or negligence. All claims must be received writing (by fax or email) within 30 days from date when product arrive at the destination city and failure to do so shall constitute a waiver by customers for any and all such claims.

Certified by:



Mar/31/2026

Quality Assurance Department




Sample Information

Order ID :MTFB20684-01  
 Name :neuropeptide NAP  
 Sequence :NAPVSIPQ (Acetate Salt)  
 Lot. No :MTFB20684-01-260326  
 Pump A :0.1%Trifluoroacetic in 100% water  
 Pump B :0.1%Trifluoroacetic in 100% acetonitrile  
 Total Flow :1ml/min  
 Wavelength :214nm  
 Analytical column type :Kromasil 100-5-C18 (4.6\*250mm\*5 µm)  
 Dissolution method :100%H2O  
 Inj. Volume : 25ul

Time	Module	Action	Value
0.01	Pumps	B.Conc	10
30.00	Pumps	B.Conc	40
33.00	Pumps	B.Conc	100
38.00	Pumps	B.Conc	100
40.00	Pumps	B.Conc	10
50.00	Controller	Stop	

Chromatogram

mV




Peak Table

Detector A 214nm

Peak#	Ret. Time	Area	Height	Area%
1	13.629	18658	2361	0.087
2	14.403	29647	3361	0.138
3	14.771	18687	6359	0.087
4	14.930	21306545	1821303	99.277
5	15.445	51893	4851	0.242
6	16.271	36019	4393	0.168
7	17.008	353	65	0.002
Total		21461802	1842694	100.000

### MS Spectrum



### Sample Information

Dissolution method	:15% ACN+85% H <sub>2</sub> O	Interface	:ESI	Prerod Bias	:+4.5kv
Date Acquired	:2026/03/28 15:19:20	Nebulizing Gas Flow	:1.50L/min	Detector	:-0.2kv
Injection Volume	:0.2ul	CDL Temp	:250°C	T.Flow	:0.2ml/min
Block Temp	:200	CDL Volt	:0v	B.conc	:50% H <sub>2</sub> O/50% MEOH

Order ID	:MTFB20684-01
Name	:neuropeptide NAP
Sequence	:NAPVSIPQ (Acetate Salt)
Lot.No	:MTFB20684-01-260326
Theoretical	:824.93
Observed	:824.50