



CERTIFICATE OF ANALYSIS			
Vector Name	pCAMBIA1304	Catalog No.	V008762
Project/Lot No.	G0301341-1/D61309	Strain	Stbl3
Quantity	100ug	Resistance	Kan
QC Results			
Test Items	Specifications	Results	
Appearance	Clear, no visible particles	Pass	
Concentration	On request, default 1ug/uL	Pass	
A260/280	1.8 - 2.0	Pass	
A260/230	>2.0	Pass	
Supercoiled content	No request	N/A	
Residual RNA	Not visible upon electrophoresis	Pass	
Genomic DNA	Not visible upon electrophoresis	Pass	
Restriction Analysis	Conforms to reference	Pass	
Bioburden assay	No growth on agar plate after 24 hours	N/A	
Endotoxin Test	Verified, (Endo-Free Preps Only)	N/A	
Label	Correct and white	Pass	
Sequencing	Correct	Pass	
Comments	-	-	
Restriction Digestion Map			
	1	2	M
			<p>Lane1: Plasmid DNA</p> <p>Lane2: Plasmid digested by EcoRI-SnaBI</p> <p>Lane M: DNA Marker</p>



Certified by: Chou Fang

Date: Dec/21/2023

Valid until: Dec/21/2025