


CERTIFICATE OF ANALYSIS			
Vector Name	pCMS-EGFP	Order No.	V006577
Project/Lot No.	G0261005-1/D38054	Size	5,541 bp
Quantity	100ug	Resistance	Ampicillin
QC Results			
Test Items	Specifications	Results	
Appearance	Clear, no visible particles	Pass	
Concentration	On request, default 1ug/uL	Pass	
A260/280	1.8 - 2.0	Pass	
A260/230	>2.0	Pass	
Supercoiled content	No request	N/A	
Residual RNA	Not visible upon electrophoresis	Pass	
Genomic DNA	Not visible upon electrophoresis	Pass	
Restriction Analysis	Conforms to reference	Pass	
Bioburden assay	No growth on agar plate after 24 hours	N/A	
Endotoxin Test	Verified, (Endo-Free Preps Only)	N/A	
Label	Correct and white	Pass	
Sequencing	Correct	Pass	
Comments	-	-	
Restriction Digestion Map			
	1	2	M
 <p>bp</p> <p>12000 8000 6000 5000 4000 3000 2500 2000 1500 1000 750 500 250</p> <p>Lane1: Plasmid DNA Lane2: Plasmid digested by XhoI-BamHI Lane M: DNA Marker</p>			



Certified by: Chou Fang

Date: Feb/06/2023

Valid until: Feb/05/2025