


CERTIFICATE OF ANALYSIS			
Vector Name	pCR-Blunt II-TOPO	Catalog No.	V011738
Project/Lot No.	G0306790-1/E79862	Strain	TOP10
Quantity	100ug	Resistance	Research Grade
QC Results			
Test Items	Specifications	Results	
Appearance	Clear, no visible particles	Pass	
Concentration	On request, default 1ug/uL	Pass	
A260/280	1.8 - 2.0	Pass	
A260/230	>2.0	Pass	
Supercoiled content	No request	N/A	
Residual RNA	Not visible upon electrophoresis	Pass	
Genomic DNA	Not visible upon electrophoresis	Pass	
Restriction Analysis	Conforms to reference	Pass	
Bioburden assay	No growth on agar plate after 24 hours	N/A	
Endotoxin Test	Verified, (Endo-Free Preps Only)	N/A	
Label	Correct and white	Pass	
Sequencing	Correct	Pass	
Comments	-	-	
Restriction Digestion Map			
	1	2	M
	<p>Lane1: Plasmid DNA</p> <p>Lane2: Plasmid digested by BsiWI-HindIII</p> <p>Lane M: DNA Marker</p>		

Certified by: Chou Fang



Date: Feb/13/2024

Valid until: Feb/13/2026