


CERTIFICATE OF ANALYSIS			
Vector Name	pE2F-TA-Luc	Catalog No.	V006890
Project/Lot No.	G0323812-1/E87531	Strain	JM108
Quantity	100ug	Resistance	Ampicillin
QC Results			
Test Items	Specifications	Results	
Appearance	Clear, no visible particles	Pass	
Concentration	On request, default	Pass	
A260/280	1.8 - 2.0	Pass	
A260/230	>2.0	Pass	
Supercoiled content	No request	N/A	
Residual RNA	Not visible upon electrophoresis	Pass	
Genomic DNA	Not visible upon electrophoresis	Pass	
Restriction Analysis	Conforms to reference	Pass	
Bioburden assay	No growth on agar plate after 24 hours	N/A	
Endotoxin Test	Verified, (Endo-Free Preps Only)	N/A	
Label	Correct and white	Pass	
Sequencing	Correct	Pass	
Comments	-	-	
Restriction Digestion Map			
	1	2	M
 <p>bp</p> <p>— 12000</p> <p>— 8000</p> <p>— 6000</p> <p>— 5000</p> <p>— 4000</p> <p>— 3000</p> <p>— 2500</p> <p>— 2000</p> <p>— 1500</p> <p>— 1000</p> <p>— 750</p> <p>— 500</p> <p>— 250</p>	<p>Lane 1: Plasmid DNA</p> <p>Lane 2: Plasmid digested by MluI-XbaI (1,791 bp+3,091 bp in theory)</p> <p>Lane M: DNA Marker</p>		

周
昉

Certified by: Chou Fang

Date: Jun/22/2024

Valid until: Jun/21/2026