


CERTIFICATE OF ANALYSIS

Gene Name	pHBT-GFP-NOS	Order No.	G0265823-3
Lot No.	D41661	Strain	Stb13
Quantity	100ug	Quality grade	Research Grade

QC Results

Test Items	Specifications	Results
Appearance	Clear, no visible particles	Pass
Concentration	On request, default 1ug/uL	Pass
A260/280	1.8 - 2.0	Pass
A260/230	>2.0	Pass
Supercoiled content	No request	N/A
Residual RNA	Not visible upon electrophoresis	Pass
Genomic DNA	Not visible upon electrophoresis	Pass
Restriction Analysis	Conforms to reference	Pass
Bioburden assay	No growth on agar plate after 24 hours	N/A
Endotoxin Test	Verified, (Endo-Free Preps Only)	N/A
Label	Correct and white	Pass
Sequencing	Correct	Pass
Comments	-	-

Restriction Digestion Map

	1	2	M
 <p>bp</p> <p>12000 8000 6000 5000 4000 3000 2500 2000 1500 1000 750 500 250</p>			<p>Lane1:Plasmid DNA</p> <p>Lane2:Plasmid digested by BamHI-NotI</p> <p>Lane M: DNA Marker</p>

Certified by:zlj
 Date:03/26/2023