



Certificate of Analysis				
Vector Name	pPV257	Catalog No.	V003899	
Project/Lot No.	G0325816-1/E89878	Strain	DB3.1	
Quantity	100ug	Resistance	Kanamycin	
QC Results				
Test Items	Specifications	Results		
Insert Sequence	Insert sequence results consistent with target	Pass		
Vector Sequence	Flanking sequence consistent with expected	Pass		
ORF Across Junction	Correct and consistent with target	N/A		
Restriction Digest	Expected fragment sizes observed	Pass		
PCR Amplification	Correct without non - specific bands	Pass		
DNA Quantity/Quality	Concentration (n/a if lyophilized)	N/A		
	Purity (A 260/A280 = 1.8 - 2.0)	Pass		
	Matrix	TE (lyophilized)		
Endotoxin Test	Verified, <0.1 EU/μg (Endo-Free Preps Only)	N/A		
Appearance	Clear, no visible particles	Pass		
Label	Correct and white	Pass		
Comments	-	-		
Restriction Digestion Map				
Marker	1	2	M	Description of Map
 <p>1Kb DNA Marker</p>			<p>Lane 1: Plasmid</p> <p>Lane 2: Plasmid Digested with SacI-XhoI (3427 bp + 2140 bp in theory)</p> <p>Lane M: DNA Marker</p>	

Certified by: Chou Fang



Date: July/23/2024

Valid until: July/23/2026