

# Anti-C19ORF10 / SF20 antibody



Catalog Number: 100126

## Product name

Anti-C19ORF10 / SF20 antibody

## Immunogen

[Human C19ORF10 / SF20 \(His Tag\) recombinant protein](#)

## Specificity

Human C19ORF10 / SF20

## Antibody description

Rabbit polyclonal to C19ORF10 / SF20

## Preparation

Produced in rabbits immunized with purified, recombinant Human C19ORF10 / SF20 (rh C19ORF10 / SF20; NP\_061980.1; Met1-Leu173). C19ORF10 / SF20 specific IgG was purified by Human C19ORF10 / SF20 affinity chromatography.

## Formulation

0.2 µm filtered solution in PBS

## Storage

This antibody can be stored at 2°C-8°C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20°C to -80°C. Preservative-Free.

Sodium azide is recommended to avoid contamination (final concentration 0.05%-0.1%). It is toxic to cells and should be disposed of properly. Avoid repeated freeze-thaw cycles.

## Clonality

Polyclonal

## Ig Type

Rabbit IgG

## Applications


WB, IP

## Dilutions

WB: 10-20 µg/ml


IP: 0.5-2 µg/mg of lysate

## Validations



Items	Lanes	A
Sample (whole cell lysate)		MCF7
Sample Volume (µg/lane)		30
Gel		13% SDS-PAGE reducing gel
Recommended Concentration		10-20 µg/ml
Secondary Antibody		Dylight 800 labeled Antibody to Rabbit IgG (H+L), at 1:5000 dilution.
Explanation		Developed using Odyssey imaging system. Predicted band size : 19 kDa Observed band size : 16 kDa Additional bands at : 70 kDa (We are unsure as to the identity of these extra bands.)

C19ORF10 / SF20 Antibody, Rabbit PAb, Antigen Affinity Purified, Western blot



Items	Lanes	A	B
Sample (whole cell lysate)		Jurkat	MCF7
Sample quantity		0.5 mg	
IP antibody quantity		4 µg	
Immunoprecipitate beads Protein G		60 µg	
Gel		13% SDS-PAGE reducing gel	
Primary antibody		C19ORF10 antibody at 10 µg/ml	
Secondary antibody		Dylight 800-labeled antibody to rabbit IgG (H+L), at 1:5000 dilution	

C19ORF10 / SF20 Antibody, Rabbit PAb, Antigen Affinity Purified, Immunoprecipitation