Human IL-8/CXCL8 (aa 23-99, Fc Tag) recombinant protein

Catalog Number: 503837

General Information

Protein Construction

A DNA sequence encoding the 77 amino acid endothelial-cell derived form of the mature human IL8 (NP_000575.1) (Ala 23-Ser 99) was fused with the Fc region of human IgG1 at the N-terminus.

Organism

Human

Expression Host

Human Cells

QC Testing

Purity

> 95 % as determined by SDS-PAGE

Endotoxin

< 1.0 EU per μg of the protein as determined by the LAL method

Stability

Samples are stable for up to twelve months from date of receipt at -70 $^{\circ}\mathrm{C}$

Predicted N terminal

Glu 20

Molecular Mass

The recombinant human Fc/IL8 (aa 1-77)chimera is a disulfide-linked homodimeric protein and the IL8 gene encodes the 1-77 amino acids. The reduced monomer consists of 314 amino acids and has a predicted molecular mass of 35.6 kDa. In SDS-PAGE under reducing conditions, the apparent molecular mass of rh Fc/IL8 (aa 1-77) monomer is approximately 40 kDa due to glycosylation.

Formulation

Lyophilized from sterile 100mM Glycine, 10mM NaCl, 50mM Tris, pH 7.5 1. 5 % trehalose and mannitol are added as protectants before lyophilization. 2. Please contact us for any concerns or special requirements.

Usage Guide

Storage

Store it under sterile conditions at -20°C to -80°C. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.

Reconstitution

Adding sterile water, prepare a stock solution of 0.25 mg/ml. Concentration is measured by UV-Vis.

SDS-PAGE

KDa M

nDa	
116	
66.2	-
45.0	
35.0	
25.0	-
18.4	-
14.4	-

Human IL-8 / CXCL8 Protein (aa 1-77, Fc Tag) SDS-PAGE

