Human VEGFR2/Flk-1/CD309/KDR (His Tag) recombinant protein

Catalog Number: 504047



General Information

Protein Construction

A DNA sequence encoding the extracellular domain of human VEGFR2 (NP_002244.1) (Met 1-Glu 764) was fused with a polyhistidine tag at the C-terminus.

Organism

Human

Expression Host

Human Cells

QC Testing

Activity

- 1. Using the Octet RED System, the affinity constant (Kd) of human VEGFR2-his bound to biotinylated human VEGF165 was 5.9nM.
- 2. Measured by its ability to inhibit the VEGF-dependent proliferation of human umbilical vein endothelial cells (HUVEC). The ED_{50} for this effect is typically 1-4 μ g/mL in the presence of 10 ng/mL recombinant human VEGF165.

Purity

> 97 % as determined by SDS-PAGE

Endotoxin

< 1.0 EU per μg of the protein as determined by the LAL method

Stability

Samples are stable for up to twelve months from date of receipt at -70°C

Predicted N terminal

Ala 20

Molecular Mass

The secreted recombinant human VEGFR2 consists of 756 amino acids and predicts a molecular mass of 84.6 kDa. The apparent molecular mass of rhVEGFR2 is approximatly 120-130 in SDS-PAGE under reducing conditions.

Formulation

Lyophilized from sterile PBS, pH 7.4

- 1. 5 % trehalose and mannitol are added as protectants before lyophilization.
- 2. Please contact us for any concerns or special requirements.

Usage Guide


Storage

Store it under sterile conditions at -20°C to -80°C. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.

Reconstitution

Adding sterile water, prepare a stock solution of 0.25 mg/ml. Concentration is measured by UV-Vis.

SDS-PAGE



Human VEGFR2 / Flk-1 / CD309 / KDR Protein (His Tag) SDS-PAGE