

General Information

Gene Name Synonym

Betacellulin

Protein Construction

A DNA sequence encoding the human BTC (P35070) (Met1-Tyr111) was expressed with six amino acids (LEVLFQ) at the C-terminus.

Organism

Human

Expression Host

Human Cells

QC Testing

Activity

Measured in a cell proliferation assay using Balb/3T3 mouse embryonic fibroblast cells. The ED₅₀ for this effect is typically 0.2-1 ng/mL.

Purity

> 90 % as determined by SDS-PAGE

Endotoxin

< 1.0 EU per µg of the protein as determined by the LAL method

Stability

Samples are stable for up to twelve months from date of receipt at -70°C

Predicted N terminal

Asp 32

Molecular Mass

The recombinant human BTC comprises 87 amino acids and has a predicted molecular mass of 9.8 kDa. The apparent molecular mass of the protein is approximately 24 kDa in SDS-PAGE under reducing conditions.

Formulation

Lyophilized from sterile PBS, pH 7.4.

1. 5 % trehalose and mannitol are added as protectants before lyophilization.

2. Please contact us for any concerns or special requirements.

Usage Guide


Storage

Store it under sterile conditions at -20°C to -80°C. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.

Reconstitution

Adding sterile water, prepare a stock solution of 0.25 mg/ml. Concentration is measured by UV-Vis.

SDS-PAGE



Human BTC / Betacellulin Protein SDS-PAGE