Catalog Number: 501571



General Information

Gene Name Synonym

Heparin cofactor II; Protease inhibitor leuserpin-2; Serpin D1

Protein Construction

A DNA sequence encoding the mouse SerpinD1 precursor (NP_032249.3) (Met1-Ser 478) was expressed, with a C-terminal polyhistidine tag.

Organism

Mouse

Expression Host

Human Cells

QC Testing

Activity

Measured by its ability to inhibit thombin (Sigma, T4648) cleavage of fluorogenic peptide substrate Boc-VPR-AMC (R&D Systems, Catslog# ES011). The IC50 value is < 1.2 nM.

Purity

> 98 % as determined by SDS-PAGE

Endotoxin

< 1.0 EU per μg of the protein as determined by the LAL method

Stability

Samples are stable for up to twelve months from date of receipt at -70 $^\circ \rm C$

Predicted N terminal

Glu 24

Molecular Mass

The recombinant mouse SerpinD1 consists of 466 amino acids and predicts a molecular mass of 53.5 kDa. By SDS-PAGE under reducing conditions, the apparent molecular mass of rmSerpinD1 is approximately 65-70 kDa as a result of glycosylation.

Formulation

Lyophilized from sterile 25mM HEPES, 150mM NaCl, pH 7.4

1.5% trehalose and mannitol are added as protectants before lyophilization.

2. Please contact us for any concerns or special requirements.

Usage Guide

Storage

Store it under sterile conditions at -20°C to -80°C. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.

Reconstitution

Adding sterile water, prepare a stock solution of 0.25 mg/ml. Concentration is measured by UV-Vis.

SDS-PAGE

KDa	М
116	-
66.2	
45.0	-
35.0	-
25.0	-
18.4	-
14.4	_

Mouse SerpinD1 / HCII Protein (His Tag) SDS-PAGE