

General Information

Protein Construction

A DNA sequence encoding the extracellular domain of human MICB (NP_005922.2) (Met 1-Gly 298) was expressed with a C-terminal polyhistidine tag.

Organism

Human

Expression Host

Human Cells

QC Testing

Activity

Immobilized human MICB-His (Cat:501839) at 10 µg/ml (100 µl/well) can bind S4-Fc3L3-NKG2D (Cat:501898), The EC₅₀ of S4-Fc3L3-NKG2D (Cat:501898) is 0.52-1.2 µg/ml.

Purity

> 98 % as determined by SDS-PAGE

Endotoxin

< 1.0 EU per µg of the protein as determined by the LAL method

Stability

Samples are stable for up to twelve months from date of receipt at -70°C

Predicted N terminal

Ala 23

Molecular Mass

The recombinant human MICB consists of 287 amino acids and has a predicted molecular mass of 33 kDa. In SDS-PAGE under reducing conditions, the apparent molecular mass of rh MICB is approximately 45-50 kDa due to glycosylation.

Formulation

Lyophilized from sterile PBS, pH 7.4

1. 5 % trehalose and mannitol are added as protectants before lyophilization.

2. Please contact us for any concerns or special requirements.

Usage Guide

Storage


Store it under sterile conditions at -20°C to -80°C.

It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.

Reconstitution

Adding sterile water, prepare a stock solution of 0.25 mg/ml. Concentration is measured by UV-Vis.

SDS-PAGE



Human MICB Protein (His Tag) SDS-PAGE