

## General Information

### Protein Construction

A DNA sequence encoding the human CST9L (Q9H4G1) (Met 1-His 147) was fused with the Fc region of human IgG1 at the C-terminus.

### Organism

Human

### Expression Host

Human Cells

## QC Testing

### Purity

> 92 % as determined by SDS-PAGE

### Endotoxin

< 1.0 EU per  $\mu\text{g}$  of the protein as determined by the LAL method

### Stability

Samples are stable for up to twelve months from date of receipt at  $-70^{\circ}\text{C}$

### Predicted N terminal

Trp 29

### Molecular Mass

The recombinant human CST9L/Fc chimera is a disulfide-linked homodimeric protein. The reduced monomer consists of 360 amino acids and has a calculated molecular mass of 41.3 kDa. In SDS-

PAGE under reducing conditions, the apparent molecular mass of rhCST9L/Fc monomer is approximately 48 kDa.

### Formulation

Lyophilized from sterile PBS, pH 7.4

1. 5 % trehalose and mannitol are added as protectants before lyophilization.

2. Please contact us for any concerns or special requirements.

## Usage Guide


### Storage

Store it under sterile conditions at  $-20^{\circ}\text{C}$  to  $-80^{\circ}\text{C}$ . It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.

### Reconstitution

Adding sterile water, prepare a stock solution of 0.25 mg/ml. Concentration is measured by UV-Vis.

### SDS-PAGE



Human CST9L / Testatin Protein (Fc Tag) SDS-PAGE