Catalog Number: 502924

General Information

Gene Name Synonym

Fibronectin-like domain-containing leucine-rich transmembrane protein 2

Protein Construction

A DNA sequence encoding the human FLRT2 (O43155) extracellular domain (Met 1-Ser 539) was expressed, with a C-terminal polyhistidine tag.

Organism

Human

Expression Host

Human Cells

QC Testing

Activity

Measured by the ability of the immobilized protein to support the adhesion of Neuro-2A mouse neuroblastoma cells. When cells are added to coated plates(5µg/mL, 100µL/well), approximately 50%-70% will adhere for 1 hour incubation at 37°C.

Purity

> 98 % as determined by SDS-PAGE

Endotoxin

< 1.0 EU per μg of the protein as determined by the LAL method

Stability

Samples are stable for up to twelve months from date of receipt at -70 $^{\circ}\mathrm{C}$

Predicted N terminal

Cys 36

Molecular Mass

The secreted recombinant human FLRT2 comprises 515 amino acids and has a calculated molecular mass of 57.7 kDa. The apparent molecular mass of the recombinant protein is approximately 75 kDa in SDS-PAGE under reducing conditions due to glycosylation.

Formulation

Lyophilized from sterile PBS, pH 7.41. 5 % trehalose and mannitol are added as protectants before lyophilization.2. Please contact us for any concerns or special requirements.

Usage Guide

Storage

Store it under sterile conditions at -20°C to -80°C. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.

Reconstitution

Adding sterile water, prepare a stock solution of 0.25 mg/ml. Concentration is measured by UV-Vis.

SDS-PAGE

KDa	M	
116		
66.2		Þ
45.0	-	
35.0	-	
25.0	-	
18.4	-	
14.4	-	

Human FLRT2 Protein (His Tag) SDS-PAGE