Human TNFRSF21/DR6 (Fc Tag) recombinant protein

Catalog Number: 503781



General Information

Protein Construction

A DNA sequence encoding the extracellular domain (Met 1-Leu 350) of human DR6 (NP_055267.1) precursor was expressed with the fused Fc region of human IgG1 at the C-terminus.

Organism

Human

Expression Host

Human Cells

QC Testing

Activity

- 1. Measured by its binding ability in a functional ELISA.
- 2. Immobilized recombinant human DR6-Fc (Cat:503781) at 10 μ g/mL (100 μ l/well) can bind biotinylated human APP-Fc (Cat:501404) with a linear range of 0.03-0.25 μ g/mL.

Purity

> 95 % as determined by SDS-PAGE

Endotoxin

< 1.0 EU per μg of the protein as determined by the LAL method

Stability

Samples are stable for up to twelve months from date of receipt at -70°C

Predicted N terminal

Gln 42

Molecular Mass

The recombinant human DR6/Fc is a disulfide-linked homodimeric protein. The reduced monomer consists of 547 amino acids and predicts a molecular mass of 60.3 kDa. By SDS-PAGE under reducing conditions, the apparent molecular mass of rhDR6/Fc monomer is approximately 95-100 kDa due to the glycosylation.

Formulation

Lyophilized from sterile PBS, pH 7.4

- 1. 5 % trehalose and mannitol are added as protectants before lyophilization.
- 2. Please contact us for any concerns or special requirements.

Usage Guide


Storage

Store it under sterile conditions at -20°C to -80°C. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.

Reconstitution

Adding sterile water, prepare a stock solution of 0.25 mg/ml. Concentration is measured by UV-Vis.

SDS-PAGE



Human DR6 / TNFRSF21 Protein (Fc Tag) SDS-PAGE