Human Decorin/DCN (Fc Tag) recombinant protein

Catalog Number: 503928

General Information

Gene Name Synonym

Bone proteoglycan II; PG-S2; PG40

Protein Construction

A DNA sequence encoding the mature form of human Decorin (NP_001911.1) (Asp 31-Lys 359) was expressed with the fused Fc region of human IgG1 at the N-terminus.

Organism

Human

Expression Host

Human Cells

QC Testing

Purity

>95 % as determined by SDS-PAGE and SEC-HPLC Analysis.

Endotoxin

< 1.0 EU per μg of the protein as determined by the LAL method

Stability

Samples are stable for up to twelve months from date of receipt at -70 $^{\circ}\mathrm{C}$

Predicted N terminal

Glu 20

Molecular Mass

The recombinant human Decorin/Fc is a disulfide-

linked homodimer. The reduced monomer consists of 566 amino acids and has a predicted molecular mass of 63. kDa. As a result of glycosylation, rh Decorin/Fc monomer migrates as an approximately 70-75 kDa band in SDS-PAGE under reducing conditions.

Formulation

Lyophilized from sterile PBS, pH 7.41. 5 % trehalose and mannitol are added as protectants before lyophilization.2. Please contact us for any concerns or special requirements.

Usage Guide

Storage

Store it under sterile conditions at -20°C to -80°C. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.

Reconstitution

Adding sterile water, prepare a stock solution of 0.25 mg/ml. Concentration is measured by UV-Vis.

SDS-PAGE

| KDa | М | |
|------|---|--|
| 116 | | |
| 66.2 | | |
| 45.0 | - | |
| 35.0 | - | |
| 25.0 | - | |
| 18.4 | - | |
| 14.4 | - | |

Human Decorin / DCN / SLRR1B Protein (Fc Tag) SDS-PAGE

