Catalog Number: 504018



General Information

Gene Name Synonym

ADP-ribosyl cyclase 2; Bone marrow stromal antigen 1; Cyclic ADP-ribose hydrolase 2

Protein Construction

A DNA sequence encoding the rat BST1 (Q63072) (Met1-Glu293) was expressed, fused with the Fc region of human IgG1 at the C-terminus.

Organism

Rat

Expression Host

Human Cells

QC Testing

Purity

> 95 % as determined by SDS-PAGE

Endotoxin

< 1.0 EU per μg of the protein as determined by the LAL method

Stability

Samples are stable for up to twelve months from date of receipt at -70 $^{\circ}\mathrm{C}$

Predicted N terminal

Ala 28

Molecular Mass

The recombinant rat BST1/Fc is a disulfide-linked homodimer. The reduced monomer comprises 506 amino acids and has a predicted molecular mass of 56.8 kDa. The apparent molecular mass of the protein is approximately 67 kDa in SDS-PAGE under reducing conditions. **Formulation**

Lyophilized from sterile PBS, pH 7.41. 5 % trehalose and mannitol are added as protectants before lyophilization.2. Please contact us for any concerns or special requirements.

Usage Guide

Storage

Store it under sterile conditions at -20°C to -80°C. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.

Reconstitution

Adding sterile water, prepare a stock solution of 0.25 mg/ml. Concentration is measured by UV-Vis.

SDS-PAGE

KDa	м
116	-
66.2	-
45.0	-
35.0	-
25.0	-
18.4	-
14.4	-

Rat CD157 / BST1 Protein (Fc Tag) SDS-PAGE