Rhesus IL-17R/IL-17RA ?CD217? (Fc Tag) recombinant protein



Catalog Number: 504722

General Information

Protein Construction

A DNA sequence encoding the rhesus IL17RA (XP_001102483.1) (Met1-Trp320) was expressed, fused with the Fc region of human IgG1 at the C-terminus.

Organism

Rhesus

Expression Host

Human Cells

QC Testing

Activity

Immobilized human IL17A (Cat:503644) at 10 μ g/ml (100 μ l/well) can bind Rhesus IL17RA-Fc, The EC₅₀ of Rhesus IL17RA-Fc is 0.19-0.43 μ g/ml.

Purity

> 90 % as determined by SDS-PAGE

Endotoxin

< 1.0 EU per μg of the protein as determined by the LAL method

Stability

Samples are stable for up to twelve months from date of receipt at -70 $^{\circ}\mathrm{C}$

Predicted N terminal

Leu 33

Molecular Mass

The recombinant rhesus IL17RA comprises 529 amino acids and has a calculated molecular mass of 60.3 KDa.

Formulation

Lyophilized from sterile PBS, pH 7.41. 5 % trehalose and mannitol are added as protectants before lyophilization.2. Please contact us for any concerns or special requirements.

Usage Guide


Storage

Store it under sterile conditions at -20°C to -80°C. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.

Reconstitution

Adding sterile water, prepare a stock solution of 0.25 mg/ml. Concentration is measured by UV-Vis.

SDS-PAGE



Cynomolgus IL17RA / IL17R Protein (Fc Tag) SDS-PAGE