

Human FCGR3A/CD16A/FCG3/FCGR3/IGFR3 (His tag) recombinant protein



Catalog Number: 518847

General Information

Gene Name Synonym

Low Affinity Immunoglobulin Gamma Fc Region Receptor III-A, CD16a Antigen, Fc-Gamma RIII-Alpha, Fc-Gamma RIII, Fc-gamma RIIIa, FcRIII, FcRIIIa, FcR-10, IgG Fc Receptor III-2, CD16a, FCGR3A, CD16A, FCG3, FCGR3, IGFR3

Protein Construction

A DNA sequence encoding the Human FCGR3A/CD16A/FCG3/FCGR3/IGFR3 Gly17-Gln208 is expressed with a 6His tag at the C-terminus.

Organism

Human

Expression Host

Human Cells

QC Testing

Purity

>95% as determined by SDS-PAGE.

Endotoxin

<1.0 EU per μg protein as determined by the LAL method.

Stability

Store for up to 12 months at -20°C to -80°C as lyophilized powder. Aliquots of reconstituted

samples are stable at $< -20^{\circ}\text{C}$ for 3 months.

Formulation

Lyophilized from a $0.2\ \mu\text{m}$ filtered solution of 20mM PB, 150mM NaCl, pH 7.2.

Usage Guide


Storage

Lyophilized protein should be stored at $< -20^{\circ}\text{C}$, though stable at room temperature for 3 weeks. Reconstituted protein solution can be stored at $4-7^{\circ}\text{C}$ for 2-7 days.

Reconstitution

Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than $100\ \mu\text{g}/\text{ml}$. Dissolve the lyophilized protein in ddH₂O. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

SDS-PAGE



Human FCGR3A/CD16A/FCG3/FCGR3/IGFR3 (His tag) recombinant protein