

Revision Date:15-Jan-2020

Section 1-Identification of Substance/	Identification of Company
Product name	Temporin-1Cc
Product Cat. No.	301420
Chemical Formula:	$C_{74}H_{121}N_{15}O_{15}$
Supplier:	NovoPro Bioscience Inc.
••	Phone: +86-21-61941042
	Fax: 86-216-194-1042
Section 2-Composition / Information of	on Ingredients
Substance/Preparation:	Substance
Ingredient Name	Temporin-1Cc
SARA 313	No
Section 3- Hazards Identification	
Classification	This substance/mixture is not considered hazardous by the
	2012 OSHA Hazard Communication Standard (29 CFR
	1910.1200)
GHS Label elements, including precautionary statements	
Signal Word	Not classified
Hazard statement(s)	None.
Precautionary Statement(s)	None.
Supplementary Hazard Information	May produce an allergic reaction
Hazards not otherwise classified	Not applicable.
(HNOC)	

For additional information on toxicity, please refer to Section 11.

Section 4- First Aid Measures	
Oral Exposure	If swallowed, wash out mouth with water provided person is conscious. Call a physician.
Inhalation Exposure	If inhaled, remove to fresh air. If breathing becomes difficult, call a physician.
Dermal Exposure	In case of skin contact, flush with copious amounts of water for at least 15 minutes. Remove contaminated clothing and shoes. Call a physician.
Eye Exposure	In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Call a physician.
Section 5- Fire Fighting Measures	
Flash Point	Not available
Autoignition Temp	Not available
Flammability	Not available
Extinguishing Media	
Suitable	Carbon dioxide, dry chemical powder, or appropriate foam. Water spray
Fire Fighting	
Protective Equipment	Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.
Specific Hazard(s)	Emits toxic fumes under fire conditions.
	1 / /



Procedure to be Followed in Case of Leak or SpillEvacuate areaProcedure(s) of Personal Precaution(s)Wear respirator, chemical safety goggles, rubber boots, and heavy rubber glovesMethods for Cleaning upWear respirator, chemical safety goggles, rubber boots, and heavy rubber glovesMethods for Cleaning upSweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and StorageAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CKeep tightly closedSection 8-Exposure Controls/Personal Protection Equipment RespiratoryMechanical exhaust requiredPersonal Protective equipment RespiratoryUse respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator.	Procedure to be Followed in Case of Leak or SpillEvacuate areaProcedure(s) of Personal Precaution(s)Wear respirator, chemical safety goggles, rubber boots, and heavy rubber glovesMethods for Cleaning upSweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and StorageAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CKeep tightly closedSection 8-Exposure Controls/Personal Personal Protective equipment RespiratoryProtection Equipment Mechanical exhaust requiredUse respiratoryUse respirators and components tested and approved under appropriate government standards such as NIOSH	Section 6 Accidental Release Measures	Saction 6 Assidental Delegas Massures	
Leak or Spill Procedure(s) of Personal Precaution(s)Wear respirator, chemical safety goggles, rubber boots, and heavy rubber glovesMethods for Cleaning upSweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and StorageAvoid raising dust. Ventilate area and wash spill site after material pickup is complete.Handling User ExposureAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CKeep tightly closedSection 8-Exposure Controls/Personal Protection Equipment RespiratoryMechanical exhaust requiredPersonal Protective equipment RespiratoryUse respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator.	Leak or Spill Procedure(s) of Personal Precaution(s)Wear respirator, chemical safety goggles, rubber boots, and heavy rubber glovesMethods for Cleaning upSweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and StorageVear espirator. Ventilate area and wash spill site after material pickup is complete.Handling User ExposureAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CKeep tightly closedSection 8-Exposure Controls/Personal Protection Equipment Personal Protective equipment RespiratoryMechanical exhaust requiredVese respirators and components tested and approved under appropriate government standards such as NIOSH			
Procedure(s) of Personal Precaution(s)Wear respirator, chemical safety goggles, rubber boots, and heavy rubber glovesMethods for Cleaning upSweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and StorageAvoid raising dust. Ventilate area and wash spill site after material pickup is complete.Handling User ExposureAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CKeep tightly closedSection 8-Exposure Controls/Personal Personal Protective equipment RespiratoryMechanical exhaust requiredUse respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Respirator, protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government approved respirator,	Procedure(s) of Personal Precaution(s)Wear respirator, chemical safety goggles, rubber boots, and heavy rubber glovesMethods for Cleaning upSweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and StorageAvoid raising dust. Ventilate area and wash spill site after material pickup is complete.Handling User ExposureAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CKeep tightly closedSection 8-Exposure Controls/Personal Personal Protective equipment RespiratoryWechanical exhaust requiredUse respirators and components tested and approved under appropriate government standards such as NIOSH	LINANALA NE LUNAMEN IN 2036 AL		
Methods for Cleaning upSweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and StorageAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Handling User ExposureAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CKeep tightly closedSection 8-Exposure Controls/Personal Protection EquipmentMechanical exhaust requiredPersonal Protective equipment RespiratoryUse respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government approved respirator,	Methods for Cleaning upSweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and StorageAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Methods for Cleaning upSweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling User ExposureAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CKeep tightly closedSection 8-Exposure Controls/Personal Personal Protective equipment RespiratoryMechanical exhaust requiredUse respirators and components tested and approved under appropriate government standards such as NIOSH			
Section 7-Handling and StorageHandling User ExposureAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CKeep tightly closedSection 8-Exposure Controls/Personal Protection EquipmentEngineering Controls Personal Protective equipment RespiratoryMechanical exhaust requiredUse respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government approved respirator,	Section 7-Handling and StorageHandling User ExposureAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CKeep tightly closedSection 8-Exposure Controls/Personal Protection EquipmentMechanical exhaust requiredEngineering Controls Personal Protective equipment RespiratoryMechanical exhaust requiredUse respirators and components tested and approved under appropriate government standards such as NIOSH	Leak or Spill Procedure(s) of Personal Precaution(s) Wear respirator, chemical safety goggles, rubber boots,	Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after	
Handling User ExposureAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CKeep tightly closedSection 8-Exposure Controls/Personal Protection EquipmentMechanical exhaust requiredEngineering Controls Personal Protective equipment RespiratoryMechanical exhaust requiredUse respirators and components tested and approved 	Handling User ExposureAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CKeep tightly closedSection 8-Exposure Controls/Personal Protection EquipmentMechanical exhaust requiredEngineering Controls Personal Protective equipment RespiratoryMechanical exhaust requiredUse respirators and components tested and approved under appropriate government standards such as NIOSH	Leak or SpillProcedure(s) of Personal Precaution(s)Wear respirator, chemical safety goggles, rubber boots, and heavy rubber glovesMethods for Cleaning upSweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after		
Handling User ExposureAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CKeep tightly closedSection 8-Exposure Controls/Personal Protection EquipmentMechanical exhaust requiredEngineering Controls Personal Protective equipment RespiratoryMechanical exhaust requiredUse respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government approved respirator,	Handling User ExposureAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CKeep tightly closedSection 8-Exposure Controls/Personal Protection EquipmentMechanical exhaust requiredEngineering Controls Personal Protective equipment RespiratoryMechanical exhaust requiredUse respirators and components tested and approved under appropriate government standards such as NIOSH	Leak or SpillProcedure(s) of Personal Precaution(s)Wear respirator, chemical safety goggles, rubber boots, and heavy rubber glovesMethods for Cleaning upSweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after		
User ExposureAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CKeep tightly closedSection 8-Exposure Controls/Personal Protection EquipmentMechanical exhaust requiredEngineering Controls Personal Protective equipment RespiratoryMechanical exhaust requiredVise respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government approved respirator,	User ExposureAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CKeep tightly closed storage at -20°CSection 8-Exposure Controls/Personal Protection EquipmentMechanical exhaust requiredEngineering ControlsMechanical exhaust requiredPersonal Protective equipment RespiratoryUse respirators and components tested and approved under appropriate government standards such as NIOSH	Leak or Spill Procedure(s) of Personal Precaution(s) Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.		
Storage Suitable Storage at -20°Cclothing. Avoid prolonged or repeated exposure.Section 8-Exposure Controls/Personal Protection EquipmentKeep tightly closedEngineering ControlsMechanical exhaust requiredPersonal Protective equipment RespiratoryUse respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government approved respirator,	Storage Suitable Storage at -20°Cclothing. Avoid prolonged or repeated exposure.Section 8-Exposure Controls/Personal Protection EquipmentKeep tightly closedSection 8-Exposure Controls/Personal Protection EquipmentMechanical exhaust requiredPersonal Protective equipment RespiratoryUse respirators and components tested and approved under appropriate government standards such as NIOSH	Leak or Spill Procedure(s) of Personal Precaution(s)Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and Storage	Avoid inhalation. Avoid contact with eyes, skin, and	
Suitable Storage at -20°CKeep tightly closedSection 8-Exposure Controls/Personal Protection EquipmentEngineering ControlsMechanical exhaust requiredPersonal Protective equipment RespiratoryUse respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government approved respirator,	Suitable Storage at -20°CKeep tightly closedSection 8-Exposure Controls/Personal Protection EquipmentEngineering ControlsMechanical exhaust requiredPersonal Protective equipment RespiratoryUse respirators and components tested and approved under appropriate government standards such as NIOSH	Leak or Spill Procedure(s) of Personal Precaution(s)Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and Storage Handling	5	
Storage at -20°CSection 8-Exposure Controls/Personal Protection EquipmentEngineering ControlsMechanical exhaust requiredPersonal Protective equipmentUse respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required.OtherWhere protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government approved respirator,	Storage at -20°C Section 8-Exposure Controls/Personal Protection Equipment Engineering Controls Mechanical exhaust required Personal Protective equipment Use respirators and components tested and approved under appropriate government standards such as NIOSH	Leak or Spill Procedure(s) of Personal Precaution(s)Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and Storage Handling User ExposureAvoid inhalation. Avoid contact with eyes, skin, and		
Section 8-Exposure Controls/Personal Protection EquipmentEngineering ControlsMechanical exhaust requiredPersonal Protective equipmentMechanical exhaust requiredRespiratoryUse respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government approved respirator,	Section 8-Exposure Controls/Personal Protection EquipmentEngineering ControlsMechanical exhaust requiredPersonal Protective equipmentMechanical exhaust requiredRespiratoryUse respirators and components tested and approved under appropriate government standards such as NIOSH	Leak or Spill Procedure(s) of Personal Precaution(s)Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and StorageAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.	Keep tightly closed	
Engineering ControlsMechanical exhaust requiredPersonal Protective equipmentUse respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government approved respirator,	Engineering ControlsMechanical exhaust requiredPersonal Protective equipment RespiratoryUse respirators and components tested and approved under appropriate government standards such as NIOSH	Leak or Spill Procedure(s) of Personal Precaution(s)Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and StorageAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage		
Engineering ControlsMechanical exhaust requiredPersonal Protective equipmentUse respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government approved respirator,	Engineering ControlsMechanical exhaust requiredPersonal Protective equipment RespiratoryUse respirators and components tested and approved under appropriate government standards such as NIOSH	Leak or Spill Procedure(s) of Personal Precaution(s)Wear respirator, chemical safety goggles, rubber boots, and heavy rubber glovesMethods for Cleaning upSweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and StorageAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage SuitableKeep tightly closed		
Personal Protective equipment RespiratoryUse respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government approved respirator,	Personal Protective equipment RespiratoryUse respirators and components tested and approved under appropriate government standards such as NIOSH	Leak or Spill Procedure(s) of Personal Precaution(s)Wear respirator, chemical safety goggles, rubber boots, and heavy rubber glovesMethods for Cleaning upSweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and StorageAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage SuitableKeep tightly closed	1 1	
RespiratoryUse respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government approved respirator,	Respiratory Use respirators and components tested and approved under appropriate government standards such as NIOSH	Leak or Spill Procedure(s) of Personal Precaution(s)Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves Sweep up, place in a bag and hold for waste disposal. 	Mechanical exhaust required	
under appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government approved respirator,	under appropriate government standards such as NIOSH	Leak or Spill Procedure(s) of Personal Precaution(s)Wear respirator, chemical safety goggles, rubber boots, and heavy rubber glovesMethods for Cleaning upSweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and Storage Handling User ExposureAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CKeep tightly closedSection 8-Exposure Controls/Personal Protection Equipment Engineering ControlsMechanical exhaust required		
(US) or CEN (EU). Respiratory protection is not required.Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator.OtherWear appropriate government approved respirator,		Leak or Spill Procedure(s) of Personal Precaution(s)Wear respirator, chemical safety goggles, rubber boots, and heavy rubber glovesMethods for Cleaning upSweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and Storage Handling User ExposureAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CKeep tightly closedSection 8-Exposure Controls/Personal Protection EquipmentMechanical exhaust required		
Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator.OtherWear appropriate government approved respirator,		Leak or Spill Procedure(s) of Personal Precaution(s)Wear respirator, chemical safety goggles, rubber boots, and heavy rubber glovesMethods for Cleaning upSweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and Storage		
Other use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government approved respirator,		Leak or Spill Procedure(s) of Personal Precaution(s)Wear respirator, chemical safety goggles, rubber boots, and heavy rubber glovesMethods for Cleaning upSweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after 		
Other Wear appropriate government approved respirator,	•	Leak or Spill Procedure(s) of Personal Precaution(s)Wear respirator, chemical safety goggles, rubber boots, and heavy rubber glovesMethods for Cleaning upSweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and Storage	-	
		Leak or Spill Procedure(s) of Personal Precaution(s)Wear respirator, chemical safety goggles, rubber boots, and heavy rubber glovesMethods for Cleaning upSweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and StorageAvoid raising dust. Ventilate area and wash spill site after material pickup is complete.Handling User ExposureAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CKeep tightly closedSection 8-Exposure Controls/Personal Personal Protective equipment RespiratoryMechanical exhaust requiredUser espirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required. Where protection from nuisance levels of dusts are desired,		
Chemical-resistant dioves satety doddes other protective		Leak or Spill Procedure(s) of Personal Precaution(s)Wear respirator, chemical safety goggles, rubber boots, and heavy rubber glovesMethods for Cleaning upSweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and StorageHandling User ExposureUser ExposureAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CKeep tightly closedSection 8-Exposure Controls/Personal Personal Protective equipment RespiratoryMechanical exhaust requiredVuse respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator.		
		Leak or Spill Procedure(s) of Personal Precaution(s)Wear respirator, chemical safety goggles, rubber boots, and heavy rubber glovesMethods for Cleaning upSweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and StorageAvoid raising dust. Ventilate area and wash spill site after material pickup is complete.Handling User ExposureAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CKeep tightly closedSection 8-Exposure Controls/Personal Protection EquipmentEngineering Controls Personal Protective equipment RespiratoryMechanical exhaust requiredVise respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator.OtherWear appropriate government approved respirator,		
	clotning.	Leak or Spill Procedure(s) of Personal Precaution(s)Wear respirator, chemical safety goggles, rubber boots, and heavy rubber glovesMethods for Cleaning upSweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and Storage	5	
General Hygiene Measures wash thoroughly after handling	ő	Leak or Spill Procedure(s) of Personal Precaution(s) Methods for Cleaning upWear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and StorageAvoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and Storage User ExposureAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CKeep tightly closedSection 8-Exposure Controls/Personal Protection EquipmentMechanical exhaust requiredRespiratoryUse respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government approved respirator, chemical-resistant gloves, safety goggles, other protective clothing.	wash thoroughly after handling	
Section 9- Physical and Chemical Properties	General Hygiene Measures Wash thoroughly after handling	Leak or Spill Procedure(s) of Personal Precaution(s) Methods for Cleaning upWear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and StorageAvoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and Storage User ExposureAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CKeep tightly closedSection 8-Exposure Controls/Personal Protection EquipmentMechanical exhaust requiredRespiratoryUse respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government approved respirator, chemical-resistant gloves, safety goggles, other protective clothing.		
	General Hygiene Measures Wash thoroughly after handling	Leak or Spill Procedure(s) of Personal Precaution(s)Wear respirator, chemical safety goggles, rubber boots, and heavy rubber glovesMethods for Cleaning upSweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and StorageAvoid raising dust. Ventilate area and wash spill site after material pickup is complete.Handling User ExposureAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CKeep tightly closedSection 8-Exposure Controls/PersonalMechanical exhaust requiredPersonal Protective equipment RespiratoryUse respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government approved respirator, chemical-resistant gloves, safety goggles, other protective clothing.General Hygiene MeasuresWash thoroughly after handling	perties	
	General Hygiene Measures Wash thoroughly after handling Section 9- Physical and Chemical Properties	Leak or Spill Procedure(s) of Personal Precaution(s) Methods for Cleaning upWear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and StorageAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Handling User ExposureKeep tightly closedStorage Suitable Storage at -20°CMechanical exhaust requiredSection 8-Exposure Controls/Personal Personal Protective equipmentMechanical exhaust requiredRespiratoryUse respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government approved respirator, chemical-resistant gloves, safety goggles, other protective clothing.General Hygiene MeasuresWash thoroughly after handlingSection 9- Physical and Chemical Pro-	perties	
	General Hygiene Measures Wash thoroughly after handling Section 9- Physical and Chemical Properties Appearance	Leak or Spill Procedure(s) of Personal Precaution(s) Methods for Cleaning upWear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and Storage Handling User ExposureAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CKeep tightly closedSection 8-Exposure Controls/Personal Protection Equipment RespiratoryMechanical exhaust required Personal Protective equipment (US) or CEN (EU). Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator. (Wear appropriate government approved respirator, chemical-resistant gloves, safety goggles, other protective clothing.General Hygiene MeasuresWash thoroughly after handlingSection 9- Physical and Chemical Properties Appearance		
-	General Hygiene Measures Wash thoroughly after handling Section 9- Physical and Chemical Properties Appearance Physical State Powder	Leak or Spill Procedure(s) of Personal Precaution(s) Methods for Cleaning upWear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and StorageAvoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and StorageAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CMechanical exhaust requiredSection 8-Exposure Controls/Personal Protective equipmentMechanical exhaust requiredRespiratoryUse respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government approved respirator, chemical-resistant gloves, safety goggles, other protective clothing.General Hygiene MeasuresWash thoroughly after handlingSection 9- Physical and Chemical Properties Appearance Physical StatePowder		
Property Molecular Weight 1460.8	General Hygiene Measures Wash thoroughly after handling Section 9- Physical and Chemical Properties Appearance Physical State Powder Property	Leak or Spill Procedure(s) of Personal Precaution(s) Methods for Cleaning upWear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves 	Powder	
Property	General Hygiene MeasuresWash thoroughly after handlingSection 9- Physical and Chemical PropertiesAppearancePhysical StatePowderProperty Molecular Weight1460.8	Leak or Spill Procedure(s) of Personal Precaution(s) Methods for Cleaning upWear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and StorageAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Handling User ExposureAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage SuitableKeep tightly closedStorage at -20°CProtection EquipmentEngineering Controls/Personal Protection Equipment RespiratoryUse respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government approved respirator, chemical-resistant gloves, safety goggles, other protective clothing.General Hygiene MeasuresWash thoroughly after handlingSection 9- Physical and Chemical Pro- Property Molecular WeightPowder 1460.8	Powder 1460.8	
Property Molecular Weight 1460.8	General Hygiene MeasuresWash thoroughly after handlingSection 9- Physical and Chemical PropertiesAppearancePowderPhysical StatePowderPropertyI460.8Molecular Weight1460.8pHNot available	Leak or Spill Procedure(s) of Personal Precaution(s) Methods for Cleaning upWear respirator, chemical safety goggles, rubber boots, and heavy rubber glovesMethods for Cleaning upSweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and Storage	Powder 1460.8 Not available	
Property Molecular Weight 1460.8 pH Not available	General Hygiene MeasuresWash thoroughly after handlingSection 9- Physical and Chemical PropertiesAppearancePowderPhysical StatePowderPropertyIdeolar Weight1460.8PHNot availableBP/BP RangeNot available	Leak or Spill Procedure(s) of Personal Precaution(s) Methods for Cleaning upWear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and StorageAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Handling User ExposureAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage SuitableKeep tightly closedSection 8-Exposure Controls/Personal Protection EquipmentEngineering ControlsMechanical exhaust requiredPersonal Protective equipment RespiratoryUse respirators and components tested and approved under appropriate government standards such as NIOSH 	Powder 1460.8 Not available Not available	
PropertyMolecular Weight1460.8pHNot availableBP/BP RangeNot available	General Hygiene MeasuresWash thoroughly after handlingSection 9- Physical and Chemical PropertiesAppearancePowderPhysical StatePowderPropertyI460.8pHNot availableBP/BP RangeNot availableMP/MP RangeNot available	Leak or SpillWear respirator, chemical safety goggles, rubber boots, and heavy rubber glovesMethods for Cleaning upSweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and Storage	Powder 1460.8 Not available Not available Not available	
PropertyMolecular Weight1460.8pHNot availableBP/BP RangeNot availableMP/MP RangeNot availableFreezing PointNot availableVapor PressureNot available	General Hygiene MeasuresWash thoroughly after handlingSection 9- Physical and Chemical PropertiesAppearancePowderPhysical StatePowderPropertyI460.8pHNot availableBP/BP RangeNot availableMP/MP RangeNot availableFreezing PointNot availableVapor PressureNot availableNot availableNot available	Leak or Spill Procedure(s) of Personal Precaution(s) and heavy rubber glovesWear respirator, chemical safety goggles, rubber boots, and heavy rubber glovesMethods for Cleaning upSweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and Storage	Powder 1460.8 Not available Not available Not available Not available Not available	
PropertyMolecular Weight1460.8pHNot availableBP/BP RangeNot availableMP/MP RangeNot availableFreezing PointNot availableVapor PressureNot availableVapor DensityNot available	General Hygiene MeasuresWash thoroughly after handlingSection 9- Physical and Chemical PropertiesAppearancePhysical StatePowderPropertyMolecular Weight1460.8pHNot availableBP/BP RangeNot availableMP/MP RangeNot availableFreezing PointNot availableVapor PressureNot availableVapor DensityNot available	Leak or Spill Procedure(s) of Personal Precaution(s)Wear respirator, chemical safety goggles, rubber boots, and heavy rubber glovesMethods for Cleaning upSweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and StorageHandling User ExposureAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage SuitableKeep tightly closedStorage at -20°CMechanical exhaust requiredPersonal Protective equipmentMechanical exhaust requiredRespiratoryUse respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator. chemical-resistant gloves, safety goggles, other protective clothing.General Hygiene MeasuresWash thoroughly after handlingSection 9- Physical and Chemical Properties AppearanceNot available Not availableProperty Molecular Weight1460.8 NOt availablePH PH/BP Range 	Powder 1460.8 Not available Not available Not available Not available Not available Not available	
PropertyMolecular Weight1460.8pHNot availableBP/BP RangeNot availableMP/MP RangeNot availableFreezing PointNot availableVapor PressureNot availableVapor DensityNot availableSaturated Vapor Conc.Not available	General Hygiene MeasuresWash thoroughly after handlingSection 9- Physical and Chemical PropertiesAppearancePhysical StatePowderPropertyMolecular Weight1460.8pHNot availableBP/BP RangeNot availableMP/MP RangeNot availableFreezing PointNot availableVapor PressureNot availableVapor DensityNot availableSaturated Vapor Conc.Not available	Leak or SpillWear respirator, chemical safety goggles, rubber boots, and heavy rubber glovesMethods for Cleaning upSweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and Storage	Powder 1460.8 Not available Not available Not available Not available Not available Not available Not available	
PropertyMolecular Weight1460.8pHNot availableBP/BP RangeNot availableMP/MP RangeNot availableFreezing PointNot availableVapor PressureNot availableVapor DensityNot availableSaturated Vapor Conc.Not availableSG/DensityNot available	General Hygiene MeasuresWash thoroughly after handlingSection 9- Physical and Chemical PropertiesAppearancePhysical StatePowderPropertyIdeoular Weight1460.8pHNot availableBP/BP RangeNot availableMP/MP RangeNot availableFreezing PointNot availableVapor PressureNot availableVapor DensityNot availableSaturated Vapor Conc.Not availableSG/DensityNot available	Leak or Spill Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves Methods for Cleaning up Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete. Section 7-Handling and Storage Handling Handling Void inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure. Storage Suitable Suitable Keep tightly closed Storage at -20°C Mechanical exhaust required Personal Protective equipment Mechanical exhaust required Respiratory Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required. Other Wear appropriate government approved respirator. Wear appropriate government approved respirator. Wear appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required. Other Wear appropriate government approved respirator. Other Wear appropriate government approved respirator. Appearance Powder Property Molecular Wash thoroughly after handling General Hygiene Measures Wash thoroughly after handling Molecular Weight 1460.8 <	Powder 1460.8 Not available Not available Not available Not available Not available Not available Not available Not available Not available	
PropertyMolecular Weight1460.8pHNot availableBP/BP RangeNot availableMP/MP RangeNot availableFreezing PointNot availableVapor PressureNot availableVapor DensityNot availableSaturated Vapor Conc.Not availableSG/DensityNot availableBulk DensityNot available	General Hygiene MeasuresWash thoroughly after handlingSection 9- Physical and Chemical PropertiesAppearancePowderPhysical StatePowderPropertyI460.8pHNot availableBP/BP RangeNot availableMP/MP RangeNot availableFreezing PointNot availableVapor PressureNot availableVapor DensityNot availableSaturated Vapor Conc.Not availableSG/DensityNot availableBulk DensityNot available	Leak or Spill Procedure(s) of Personal Precaution(s) Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves Methods for Cleaning up Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete. Section 7-Handling and Storage Handling Handling Vest Exposure Avoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure. Storage Suitable Keep tightly closed Storage at -20°C Mechanical exhaust required Personal Protective equipment Mechanical exhaust required Respiratory Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator. Other Wear appropriate government approved respirator, chemical-resistant gloves, safety goggles, other protective clothing. General Hygiene Measures Wash thoroughly after handling Section 9- Physical and Chemical Properties Appearance Appearance Physical State Property Molecular Weight 1460.8 pH Not available MP/MP Range Not available	Powder 1460.8 Not available Not available Not available Not available Not available Not available Not available Not available Not available Not available	
PropertyMolecular Weight1460.8pHNot availableBP/BP RangeNot availableMP/MP RangeNot availableFreezing PointNot availableVapor PressureNot availableVapor DensityNot availableSaturated Vapor Conc.Not availableSG/DensityNot availableBulk DensityNot availableOdor ThresholdNot available	General Hygiene MeasuresWash thoroughly after handlingSection 9- Physical and Chemical ProvertiesAppearancePowderPhysical StatePowderPropertyId60.8pHNot availableBP/BP RangeNot availableMP/MP RangeNot availableFreezing PointNot availableVapor PressureNot availableVapor DensityNot availableSaturated Vapor Conc.Not availableSG/DensityNot availableBulk DensityNot availableOdor ThresholdNot available	Leak or SpillProcedure(s) of Personal Precaution(s)Wear respirator, chemical safety goggles, rubber boots, and heavy rubber glovesMethods for Cleaning upSweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and Storage	Powder 1460.8 Not available Not available	
PropertyMolecular Weight1460.8pHNot availableBP/BP RangeNot availableMP/MP RangeNot availableFreezing PointNot availableVapor PressureNot availableVapor DensityNot availableSaturated Vapor Conc.Not availableSG/DensityNot availableBulk DensityNot availableOdor ThresholdNot availableVolatile%Not available	General Hygiene MeasuresWash thoroughly after handlingSection 9- Physical and Chemical PropertiesAppearancePhysical StatePowderPropertyMolecular Weight1460.8pHNot availableBP/BP RangeNot availableMP/MP RangeNot availableFreezing PointNot availableVapor PressureNot availableVapor DensityNot availableSaturated Vapor Conc.Not availableSG/DensityNot availableBulk DensityNot availableOdor ThresholdNot availableVolatile%Not available	Leak or SpillProcedure(s) of Personal Precaution(s)Wear respirator, chemical safety goggles, rubber boots, and heavy rubber glovesMethods for Cleaning upSweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and Storage	Powder 1460.8 Not available Not available	
PropertyMolecular Weight1460.8pHNot availableBP/BP RangeNot availableMP/MP RangeNot availableFreezing PointNot availableVapor PressureNot availableVapor DensityNot availableSaturated Vapor Conc.Not availableSG/DensityNot availableBulk DensityNot availableOdor ThresholdNot availableVolatile%Not availableVOC ContentNot available	General Hygiene MeasuresWash thoroughly after handlingSection 9- Physical and Chemical PropertiesAppearancePhysical StatePowderPropertyId60.8pHNot availableBP/BP RangeNot availableMP/MP RangeNot availableFreezing PointNot availableVapor PressureNot availableVapor DensityNot availableSaturated Vapor Conc.Not availableSG/DensityNot availableOdor ThresholdNot availableVolatile%Not availableVOC ContentNot available	Leak or Spill Procedure(s) of Personal Precaution(s) Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves Methods for Cleaning up Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete. Section 7-Handling and Storage Handling User Exposure Storage Suitable Storage at -20°C Section 8-Exposure Controls/Personal Protection Equipment Engineering Controls Personal Protective equipment Respiratory Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator. Cother Appearance Physical and Chemical Protecties Appearance Physical State Powder Property Molecular Weight 1460.8 pH Molecular Weight Not available Softype Not available Not available Softype Not available Not available Softype Not available Softype Not available Softype Not available Softype Not available Not av	Powder 1460.8 Not available Not available	
PropertyMolecular Weight1460.8pHNot availableBP/BP RangeNot availableMP/MP RangeNot availableFreezing PointNot availableVapor PressureNot availableVapor DensityNot availableSaturated Vapor Conc.Not availableSG/DensityNot availableBulk DensityNot availableOdor ThresholdNot availableVolatile%Not availableVOC ContentNot availableWater ContentNot available	General Hygiene MeasuresWash thoroughly after handlingSection 9- Physical and Chemical PropertiesAppearancePhysical StatePowderPropertyId60.8pHNot availableBP/BP RangeNot availableMP/MP RangeNot availableFreezing PointNot availableVapor PressureNot availableVapor DensityNot availableSaturated Vapor Conc.Not availableSG/DensityNot availableBulk DensityNot availableVolatile%Not availableVOC ContentNot availableWater ContentNot available	Leak or Spill Procedure(s) of Personal Precaution(s) Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves Methods for Cleaning up Sweep up, place in a bag and hold for waste disposal. Avoid ruising dust. Ventilate area and wash spill site after material pickup is complete. Section 7-Handling and Storage Handling User Exposure Avoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure. Storage Suitable Storage at -20°C Section 8-Exposure Controls/Personal Protection Equipment Engineering Controls Mechanical exhaust required Personal Protective equipment Respiratory Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator, chemical-resistant gloves, safety goggles, other protective clothing. General Hygiene Measures Wash thoroughly after handling Section 9- Physical and Chemical Properties Appearance Physical State Powder Property Molecular Weight H 460.8 pH Not available MP/MP Range Not available MP/MP Range Not available Soforage Not available Soforage Not available NP/MP Range Not available NP/	Powder 1460.8 Not available Not available	
PropertyMolecular Weight1460.8pHNot availableBP/BP RangeNot availableMP/MP RangeNot availableFreezing PointNot availableVapor PressureNot availableVapor DensityNot availableSaturated Vapor Conc.Not availableSG/DensityNot availableBulk DensityNot availableOdor ThresholdNot availableVolatile%Not availableVOC ContentNot availableWater ContentNot availableSolvent ContentNot availableSolvent ContentNot available	General Hygiene MeasuresWash thoroughly after handlingSection 9- Physical and Chemical PropertiesAppearancePhysical StatePowderPropertyItafo.8Molecular Weight1460.8pHNot availableBP/BP RangeNot availableMP/MP RangeNot availableFreezing PointNot availableVapor PressureNot availableVapor DensityNot availableSd/DensityNot availableBulk DensityNot availableOdor ThresholdNot availableVolatile%Not availableVolatile%Not availableVolc ContentNot availableWater ContentNot availableSolvent ContentNot availableNot availableNot availableVater ContentNot availableNot availableNot available	Leak or Spill Procedure(s) of Personal Precaution(s) Methods for Cleaning up Sweep up, place in a bag and hold for waste disposal. Aroid rinsing dust. Ventilate area and wash spill site after material pickup is complete. Section 7-Handling and Storage Handling User Exposure Storage Suitable Storage at -20°C Section 8-Exposure Controls/Personal Protection Equipment Engineering Controls Methods for Cleaning up Use respirator, chemical exhaust required Personal Protective equipment Use respirators and components tested and approved under appropriate government standard such as NIOSH (US) or CEN (EU). Respiratory Protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator, chemical-resistant gloves, safety goggles, other protective clothing. General Hygiene Measures Wash thoroughly after handling BP/BP Range Not available MP/MP Range Not available Not ava	Powder 1460.8 Not available Not available	
PropertyMolecular Weight1460.8pHNot availableBP/BP RangeNot availableMP/MP RangeNot availableFreezing PointNot availableVapor PressureNot availableVapor DensityNot availableSaturated Vapor Conc.Not availableSG/DensityNot availableBulk DensityNot availableOdor ThresholdNot availableVoC ContentNot availableWater ContentNot availableSolvent ContentNot availableFeaporation RateNot available	General Hygiene MeasuresWash thoroughly after handlingSection 9- Physical and Chemical PropertiesAppearancePowderPhysical StatePowderPropertyId60.8pHNot availableBP/BP RangeNot availableMP/MP RangeNot availableFreezing PointNot availableVapor PressureNot availableSaturated Vapor Conc.Not availableSG/DensityNot availableBulk DensityNot availableOdor ThresholdNot availableVolatile%Not availableVOC ContentNot availableWater ContentNot availableKuter Cont	Leak or Spill Procedure(s) of Personal Precaution(s) Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves Methods for Cleaning up Sweep up, place in a bag and hold for waste disposal. Avoid rising dust. Ventilate area and wash spill site after material pickup is complete. Section 7-Handling and Storage Handling User Exposure Avoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure. Storage Suitable Storage at -20°C Section 8-Exposure Controls/Personal Protection Equipment Engineering Controls Personal Protective equipment Respiratory User reported to required Wear appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type V95 (US) or type P1 (EN 143) respirator, chemical-resistant gloves, safety goggles, other protective clothing. General Hygiene Measures Wash thoroughly after handling Section 9- Physical and Chemical Properties Appearance Physical State Powder Property Mecleular Weight 1460.8 pH Not available MP/MP Range Not available MP/MP Range Not available MP/MP Range Not available Sofuent Not available Sofuent Not available Sofuent Not available Sofuent Not available Not available Not available Not available Sofuent Not available Not available Not available Sofuent Not available Not available Not available Not available Nout available Not available Not available Not available Not av	Powder 1460.8 Not available Not available	
PropertyMolecular Weight1460.8pHNot availableBP/BP RangeNot availableMP/MP RangeNot availableFreezing PointNot availableVapor PressureNot availableVapor DensityNot availableSaturated Vapor Conc.Not availableSG/DensityNot availableBulk DensityNot availableOdor ThresholdNot availableVolatile%Not availableVOC ContentNot availableWater ContentNot availableSolvent ContentNot availableSolvent ContentNot available	General Hygiene MeasuresWash thoroughly after handlingSection 9- Physical and Chemical PropertiesAppearancePhysical StatePowderProperty1460.8pHNot availableBP/BP RangeNot availableMP/MP RangeNot availableFreezing PointNot availableVapor PressureNot availableSaturated Vapor Conc.Not availableSG/DensityNot availableBulk DensityNot availableVOC ContentNot availableVOC ContentNot availableVoC ContentNot availableSolvent ContentNot available	Leak or Spill Procedure(s) of Personal Precaution(s) Methods for Cleaning up Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete. Section 7-Handling and Storage Handling User Exposure Storage Suitable Storage at -20°C Section 8-Exposure Controls/Personal Protection Equipment Engineering Controls Presonal Protective equipment Respiratory Other Other Other Section 9- Physical and Chemical Properties Appearance Physical State Property Molecular Weight Afo. ph Molecular Weight Property Molecular Weight Metanical Protective Cothing. Section 9- Physical and Chemical Properties Appearance Physical State Property Molecular Weight Molecular W	Powder 1460.8 Not available Not available	
Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator.OtherWear appropriate government approved respirator,	(US) or CEN (EU). Respiratory protection is not required.	Leak or Spill Procedure(s) of Personal Precaution(s)Wear respirator, chemical safety goggles, rubber boots, and heavy rubber glovesMethods for Cleaning upSweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and Storage		
Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator.OtherWear appropriate government approved respirator,		Leak or Spill Procedure(s) of Personal Precaution(s)Wear respirator, chemical safety goggles, rubber boots, and heavy rubber glovesMethods for Cleaning upSweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and Storage Handling User ExposureAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CKeep tightly closedSection 8-Exposure Controls/Personal Protection EquipmentMechanical exhaust required		
(US) or CEN (EU). Respiratory protection is not required.Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator.OtherWear appropriate government approved respirator,		Leak or Spill Procedure(s) of Personal Precaution(s)Wear respirator, chemical safety goggles, rubber boots, and heavy rubber glovesMethods for Cleaning upSweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and Storage Handling User ExposureAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CKeep tightly closedSection 8-Exposure Controls/Personal Protection EquipmentMechanical exhaust required		
(US) or CEN (EU). Respiratory protection is not required.Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator.OtherWear appropriate government approved respirator,		Leak or Spill Procedure(s) of Personal Precaution(s)Wear respirator, chemical safety goggles, rubber boots, and heavy rubber glovesMethods for Cleaning upSweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and Storage Handling User ExposureAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CKeep tightly closedSection 8-Exposure Controls/Personal Protection Equipment Engineering ControlsMechanical exhaust required	Use respirators and components tested and approved	
under appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator.OtherWear appropriate government approved respirator,	under appropriate government standards such as NIOSH	Leak or Spill Procedure(s) of Personal Precaution(s)Wear respirator, chemical safety goggles, rubber boots, and heavy rubber glovesMethods for Cleaning upSweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and Storage Handling User ExposureAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CKeep tightly closedSection 8-Exposure Controls/Personal Protection Equipment Engineering ControlsMechanical exhaust required	Use respirators and components tested and approved	
under appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator.OtherWear appropriate government approved respirator,	under appropriate government standards such as NIOSH	Leak or Spill Procedure(s) of Personal Precaution(s)Wear respirator, chemical safety goggles, rubber boots, and heavy rubber glovesMethods for Cleaning upSweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and Storage Handling User ExposureAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CKeep tightly closedSection 8-Exposure Controls/Personal Protection Equipment Engineering ControlsMechanical exhaust required	TT '	
RespiratoryUse respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government approved respirator,	Respiratory Use respirators and components tested and approved under appropriate government standards such as NIOSH	Leak or Spill Procedure(s) of Personal Precaution(s)Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and Storage User ExposureAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CKeep tightly closedSection 8-Exposure Controls/Personal Protection Equipment	r roomannoar onniauou roquirou	
RespiratoryUse respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government approved respirator,	Respiratory Use respirators and components tested and approved under appropriate government standards such as NIOSH	Leak or Spill Procedure(s) of Personal Precaution(s)Wear respirator, chemical safety goggles, rubber boots, and heavy rubber glovesMethods for Cleaning upSweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and StorageAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CKeep tightly closed	Mechanical exhaust required	
Personal Protective equipment Respiratory Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator. Other Wear appropriate government approved respirator,	Personal Protective equipment RespiratoryUse respirators and components tested and approved under appropriate government standards such as NIOSH	Leak or Spill Procedure(s) of Personal Precaution(s)Wear respirator, chemical safety goggles, rubber boots, and heavy rubber glovesMethods for Cleaning upSweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and StorageAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CKeep tightly closed	1 1	
Engineering ControlsMechanical exhaust requiredPersonal Protective equipmentUse respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government approved respirator,	Engineering ControlsMechanical exhaust requiredPersonal Protective equipment RespiratoryUse respirators and components tested and approved under appropriate government standards such as NIOSH	Leak or Spill Procedure(s) of Personal Precaution(s)Wear respirator, chemical safety goggles, rubber boots, and heavy rubber glovesMethods for Cleaning upSweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and StorageAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage SuitableKeep tightly closed	Protection Equipment	
Engineering ControlsMechanical exhaust requiredPersonal Protective equipmentUse respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government approved respirator,	Engineering ControlsMechanical exhaust requiredPersonal Protective equipment RespiratoryUse respirators and components tested and approved under appropriate government standards such as NIOSH	Leak or Spill Procedure(s) of Personal Precaution(s)Wear respirator, chemical safety goggles, rubber boots, and heavy rubber glovesMethods for Cleaning upSweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and StorageVentilate area and wash spill site after material pickup is complete.Handling User ExposureAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage SuitableKeep tightly closed		
Engineering ControlsMechanical exhaust requiredPersonal Protective equipmentUse respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government approved respirator,	Engineering ControlsMechanical exhaust requiredPersonal Protective equipment RespiratoryUse respirators and components tested and approved under appropriate government standards such as NIOSH	Leak or Spill Procedure(s) of Personal Precaution(s)Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and StorageAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage	Keep tightly closed	
Storage at -20°CSection 8-Exposure Controls/Personal Protection EquipmentEngineering ControlsMechanical exhaust requiredPersonal Protective equipmentUse respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government approved respirator,	Storage at -20°C Section 8-Exposure Controls/Personal Protection Equipment Engineering Controls Mechanical exhaust required Personal Protective equipment Use respirators and components tested and approved under appropriate government standards such as NIOSH	Leak or Spill Procedure(s) of Personal Precaution(s)Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and StorageAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.		
Suitable Storage at -20°CKeep tightly closedSection 8-Exposure Controls/Personal Protection EquipmentEngineering ControlsMechanical exhaust requiredPersonal Protective equipment RespiratoryUse respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government approved respirator,	Suitable Storage at -20°CKeep tightly closed Keep tightly closedSection 8-Exposure Controls/Personal Protection EquipmentEngineering ControlsMechanical exhaust requiredPersonal Protective equipment RespiratoryUse respirators and components tested and approved under appropriate government standards such as NIOSH	Leak or Spill Procedure(s) of Personal Precaution(s)Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and Storage Handling User ExposureAvoid inhalation. Avoid contact with eyes, skin, and	clothing. Avoid prolonged or repeated exposure.	
Storage Suitable Storage at -20°CKeep tightly closedSection 8-Exposure Controls/Personal Protection EquipmentMechanical exhaust requiredEngineering Controls Personal Protective equipment RespiratoryMechanical exhaust requiredUse respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government approved respirator,	Storage Suitable Storage at -20°CKeep tightly closed Keep tightly closedSection 8-Exposure Controls/Personal Protection EquipmentEngineering ControlsMechanical exhaust requiredPersonal Protective equipment RespiratoryUse respirators and components tested and approved under appropriate government standards such as NIOSH	Leak or Spill Procedure(s) of Personal Precaution(s)Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and Storage	5	
Storage Suitable Storage at -20°Cclothing. Avoid prolonged or repeated exposure.Section 8-Exposure Controls/Personal Protection EquipmentKeep tightly closedEngineering ControlsMechanical exhaust requiredPersonal Protective equipment RespiratoryUse respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government approved respirator,	Storage Suitable Storage at -20°Cclothing. Avoid prolonged or repeated exposure.Section 8-Exposure Controls/Personal Protection EquipmentKeep tightly closedSection 8-Exposure Controls/Personal Protection EquipmentMechanical exhaust requiredPersonal Protective equipment RespiratoryUse respirators and components tested and approved under appropriate government standards such as NIOSH	Leak or Spill Procedure(s) of Personal Precaution(s) Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves Methods for Cleaning up Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.		
User ExposureAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CKeep tightly closedSection 8-Exposure Controls/PersonalProtection EquipmentEngineering Controls Personal Protective equipment RespiratoryMechanical exhaust requiredUse respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government approved respirator,	User ExposureAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CKeep tightly closed storage at -20°CSection 8-Exposure Controls/Personal Protection EquipmentMechanical exhaust requiredEngineering ControlsMechanical exhaust requiredPersonal Protective equipment RespiratoryUse respirators and components tested and approved under appropriate government standards such as NIOSH	Leak or Spill Procedure(s) of Personal Precaution(s) Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves Methods for Cleaning up Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.		
Handling User ExposureAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CKeep tightly closedSection 8-Exposure Controls/Personal Protection EquipmentMechanical exhaust requiredEngineering Controls Personal Protective equipment RespiratoryMechanical exhaust requiredUse respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government approved respirator,	Handling User ExposureAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CKeep tightly closedSection 8-Exposure Controls/Personal Protection EquipmentMechanical exhaust requiredEngineering Controls Personal Protective equipment RespiratoryMechanical exhaust requiredUse respirators and components tested and approved under appropriate government standards such as NIOSH	Leak or SpillProcedure(s) of Personal Precaution(s)Wear respirator, chemical safety goggles, rubber boots, and heavy rubber glovesMethods for Cleaning upSweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after		
Handling User ExposureAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CKeep tightly closedSection 8-Exposure Controls/Personal Protection EquipmentMechanical exhaust requiredEngineering Controls Personal Protective equipment RespiratoryMechanical exhaust requiredUse respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government approved respirator,	Handling User ExposureAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CKeep tightly closedSection 8-Exposure Controls/Personal Protection EquipmentMechanical exhaust requiredEngineering Controls Personal Protective equipment RespiratoryMechanical exhaust requiredUse respirators and components tested and approved under appropriate government standards such as NIOSH	Leak or SpillWear respirator, chemical safety goggles, rubber boots, and heavy rubber glovesMethods for Cleaning upSweep up, place in a bag and hold for waste disposal.		
material pickup is complete.Section 7-Handling and StorageHandling User ExposureAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CKeep tightly closedSection 8-Exposure Controls/Personal Protection EquipmentEngineering Controls Personal Protective equipment RespiratoryMechanical exhaust requiredPersonal Protective equipment RespiratoryUse respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government approved respirator,	material pickup is complete.Section 7-Handling and StorageHandling User ExposureAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CKeep tightly closedSection 8-Exposure Controls/Personal Protection EquipmentMechanical exhaust requiredEngineering ControlsMechanical exhaust requiredPersonal Protective equipment RespiratoryUse respirators and components tested and approved under appropriate government standards such as NIOSH	Leak or Spill Procedure(s) of Personal Precaution(s) Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves		
Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and StorageHandling User ExposureAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CKeep tightly closedSection 8-Exposure Controls/Personal Protection EquipmentEngineering Controls Personal Protective equipment RespiratoryMechanical exhaust requiredUse respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government approved respirator,	Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling User ExposureAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CKeep tightly closedSection 8-Exposure Controls/PersonalProtection EquipmentEngineering Controls Personal Protective equipment RespiratoryMechanical exhaust requiredUse respirators and components tested and approved under appropriate government standards such as NIOSH	Leak or Spill Procedure(s) of Personal Precaution(s) Wear respirator, chemical safety goggles, rubber boots,		
Methods for Cleaning upSweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and StorageAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Handling User ExposureAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CKeep tightly closedSection 8-Exposure Controls/Personal Protection EquipmentMechanical exhaust requiredPersonal Protective equipment RespiratoryUse respirators and components tested and approved under appropriate government standards such as NIOSH 	Methods for Cleaning upSweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and StorageAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Mandling User ExposureAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CKeep tightly closedSection 8-Exposure Controls/Personal Personal Protective equipment RespiratoryMechanical exhaust requiredUse respirators and components tested and approved under appropriate government standards such as NIOSH			
Procedure(s) of Personal Precaution(s)Wear respirator, chemical safety goggles, rubber boots, and heavy rubber glovesMethods for Cleaning upSweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and StorageAvoid raising dust. Ventilate area and wash spill site after material pickup is complete.Handling User ExposureAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CKeep tightly closedSection 8-Exposure Controls/Personal Personal Protective equipment RespiratoryMechanical exhaust requiredUse respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Respirator, protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator. Wear appropriate government approved respirator,	Procedure(s) of Personal Precaution(s)Wear respirator, chemical safety goggles, rubber boots, and heavy rubber glovesMethods for Cleaning upSweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and StorageAvoid raising dust. Ventilate area and wash spill site after material pickup is complete.Handling User ExposureAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CKeep tightly closedSection 8-Exposure Controls/Personal Protection EquipmentMechanical exhaust requiredPersonal Protective equipment RespiratoryUse respirators and components tested and approved under appropriate government standards such as NIOSH			
Leak or Spill Procedure(s) of Personal Precaution(s)Wear respirator, chemical safety goggles, rubber boots, and heavy rubber glovesMethods for Cleaning upSweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and StorageAvoid raising dust. Ventilate area and wash spill site after material pickup is complete.Handling User ExposureAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CKeep tightly closedSection 8-Exposure Controls/Personal Protection Equipment RespiratoryMechanical exhaust requiredPersonal Protective equipment RespiratoryUse respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) respirator.OtherWear appropriate government approved respirator,	Leak or Spill Procedure(s) of Personal Precaution(s)Wear respirator, chemical safety goggles, rubber boots, and heavy rubber glovesMethods for Cleaning upSweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.Section 7-Handling and StorageAvoid raising dust. Ventilate area and wash spill site after material pickup is complete.Handling User ExposureAvoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.Storage Suitable Storage at -20°CKeep tightly closedSection 8-Exposure Controls/Personal Protection Equipment Personal Protective equipment RespiratoryMechanical exhaust requiredVese respirators and components tested and approved under appropriate government standards such as NIOSH			
Section 9- Physical and Chemical Prop Appearance	Other	Section 6- Accidental Release Measur Procedure to be Followed in Case of		



Partition Coefficient Decomposition Temp. Flash Point Explosion Limits Flammability Autoignition Temp Refractive Index Optical Rotation Miscellaneous Data Solubility	Not available Not available Not available Not available Not available Not available Not available Not available Not available Not available
Section 10- Stability and Reactivity	
Stability Stable Hazardous Decomposition Products Hazardous Decomposition Products Hazardous Polymerization Hazardous Polymerization	Stable Nature of decomposition products not known. Will not occur
Section 11- Toxicological Information	
Route of Exposure Skin Contact Eye contact Inhalation	Avoid contact with skin. Avoid contact with eyes. May cause slight irritation. Avoid breathing vapors or mists. May cause irritation of respiratory tract.
Ingestion Conditions Aggravated by Exposure	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. The toxicological properties have not been thoroughly investigated.

This product is for experimental uses only. The product has not been completely analyzed and all of the hazards may not be known.

Section 12- Ecological Information	
No data available.	
Section 13- Disposal Considerations	
Appropriate Method of Disposal of Substance or Preparation	Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Observe all federal, state, and local environmental regulations.
Section 14- Transport Information	
DOT	
Proper Shipping Name	None
Non-Hazardous for Transport	This substance is considered to be non-hazardous for transport.
IATA	
Non-Hazardous for Air Transport	Non-hazardous for air transport



Section 15- Regulatory Information	
US Classification and Label Text	
US Statements	Caution: The chemical, physical, and toxicological properties of this product have not been thoroughly investigated. Exercise due care.
United States Regulatory information	
SARA Listed	No
Canada Regulatory information	
WHMIS Classification	This product has been classified in accordance with the
	hazard criteria of the CPR, and the MSDS contains all the
	information required by the CPR.
DSL	No
NDSL	No

Section 16- Other Information

NovoPro corporation MSDS is believed to be correct but only used as a guide for experienced personnel, NovoPro shall not be held liable for any damage resulting from the handling or from contact with the above product.