

Human TNFRSF10C/DCR1/LIT (Fc & His tag) recombinant protein



Catalog Number: 518760

General Information

Gene Name Synonym

Tumor Necrosis Factor Receptor Superfamily Member 10C, Antagonist Decoy Receptor for TRAIL/Apo-2L, Decoy TRAIL Receptor Without Death Domain, Decoy Receptor 1, DcR1, Lymphocyte Inhibitor of TRAIL, TNF-Related Apoptosis-Inducing Ligand Receptor 3, TRAIL Receptor 3, TRAIL-R3, TRAIL Receptor Without an Intracellular Domain, CD263, TNFRSF10C, DCR1, LIT, TRAILR3, TRID

Protein Construction

A DNA sequence encoding the Human TNFRSF10C/DCR1/LIT Ala26-Ala221 is expressed with a Fc, 6His tag at the C-terminus.

Organism

Human

Expression Host

Human Cells

QC Testing

Purity

>95% as determined by SDS-PAGE.

Endotoxin

<1.0 EU per μg protein as determined by the LAL method.

Stability

Store for up to 12 months at -20°C to -80°C as

lyophilized powder. Aliquots of reconstituted samples are stable at $< -20^{\circ}\text{C}$ for 3 months.

Formulation

Lyophilized from a $0.2\ \mu\text{m}$ filtered solution of 20mM PB, 150mM NaCl, pH7.4.

Usage Guide


Storage

Lyophilized protein should be stored at $< -20^{\circ}\text{C}$, though stable at room temperature for 3 weeks. Reconstituted protein solution can be stored at $4-7^{\circ}\text{C}$ for 2-7 days.

Reconstitution

Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than $100\ \mu\text{g}/\text{ml}$. Dissolve the lyophilized protein in ddH₂O. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

SDS-PAGE



Human TNFRSF10C/DCR1/LIT (Fc & His tag)
recombinant protein