Human PD-L1/B7-H1/CD274 (His Tag) recombinant protein

Catalog Number: 503918

General Information

Gene Name Synonym

B7 homolog 1

Protein Construction

A DNA sequence encoding the N-terminal segment (Met 1-Thr 239) of the extracellular domain of human B7-H1 (NP_054862.1) was expressed with a C-terminal polyhistidine tag.

Organism

Human

Expression Host

Human Cells

QC Testing

Activity

Measured by its binding ability in a functional ELISA. Immobilized human B7-H1 at 20 μ g/ml (100 μ l/well) can bind human PD1 with a linear ranger of 0.032-0.8 μ g/ml.

Purity

> 98 % as determined by SDS-PAGE

Endotoxin

< 1.0 EU per μg of the protein as determined by the LAL method

Stability

Samples are stable for up to twelve months from date of receipt at -70 $^{\circ}\mathrm{C}$

Predicted N terminal

Phe 19

Molecular Mass

The recombinant mature human B7-H1 comprises 232 amino acids and predicts a molecular mass of 26.8 kDa. As a result of glycosylation, the rh B7-H1 migrates as an approximately 35-38 kDa protein in SDS-PAGE under reducing conditions.

Formulation

Lyophilized from sterile PBS, pH 7.41. 5 % trehalose and mannitol are added as protectants before lyophilization.2. Please contact us for any concerns or special requirements.

Usage Guide


Storage

Store it under sterile conditions at -20°C to -80°C. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.

Reconstitution

Adding sterile water, prepare a stock solution of 0.25 mg/ml. Concentration is measured by UV-Vis.

SDS-PAGE



Human PD-L1 / B7-H1 / CD274 Protein (His Tag) SDS-PAGE

