

General Information

Gene Name Synonym

Lymphocyte differentiation antigen B7

Protein Construction

A DNA sequence encoding the rat ILCD52 (Q63064) (Met1-Ala69) was expressed, fused with the Fc region of human IgG1 at the C-terminus.

Organism

Rat

Expression Host

Human Cells

QC Testing

Purity

> 70 % as determined by SDS-PAGE

Endotoxin

< 1.0 EU per µg of the protein as determined by the LAL method

Stability

Samples are stable for up to twelve months from date of receipt at -70°C

Predicted N terminal

Gly 24

Molecular Mass

The recombinant rat CD52/Fc is a disulfide-linked

homodimer. The reduced monomer comprises 287 amino acids and has a predicted molecular mass of 31.4 kDa. The apparent molecular mass of the protein is approximately 53 kDa in SDS-PAGE under reducing conditions.

Formulation

Lyophilized from sterile PBS, pH 7.4

1. 5 % trehalose and mannitol are added as protectants before lyophilization.

2. Please contact us for any concerns or special requirements.

Usage Guide


Storage

Store it under sterile conditions at -20°C to -80°C. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.

Reconstitution

Adding sterile water, prepare a stock solution of 0.25 mg/ml. Concentration is measured by UV-Vis.

SDS-PAGE



Rat CD52 / CDW52 Protein (Fc Tag) SDS-PAGE