# Anti-Carbonic Anhydrase IV / Car4 / CA4 antibody

Catalog Number: 103848



#### **Product name**

Anti-Carbonic Anhydrase IV / Car4 / CA4 antibody

#### **Immunogen**

<u>Human Carbonic Anhydrase IV / Car4 / CA4 (His Tag) recombinant protein</u>

## **Specificity**

Human Carbonic Anhydrase IV / CA4

### **Antibody description**

Rabbit polyclonal to Carbonic Anhydrase IV / Car4 / CA4

### **Preparation**

Produced in rabbits immunized with purified, recombinant Human Carbonic Anhydrase IV / CA4 (rh Carbonic Anhydrase IV / CA4; NP\_000708.1; Met 1-Lys 283). Carbonic Anhydrase IV / CA4 specific IgG was purified by Human Carbonic Anhydrase IV / CA4 affinity chromatography.

#### **Formulation**

 $0.2~\mu m$  filtered solution in PBS with 5% trehalose

#### **Storage**

This antibody can be stored at  $2^{\circ}\text{C-8°C}$  for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20°C to -80°C.

Preservative-Free.

Sodium azide is recommended to avoid contamination (final concentration 0.05%-0.1%). It is toxic to cells and should be disposed of properly. Avoid repeated freeze-thaw cycles.

#### Clonality

Polyclonal

## **Ig Type**

Rabbit IgG

#### **Applications**

WB, IHC-P, IP


#### **Dilutions**

WB: 10-20 µg/mL

IHC-P:  $0.5-2 \mu g/mL$ 


IP: 4-8 µg/mg of lysate

#### **Validations**



Carbonic Anhydrase IV / CA4 Antibody, Rabbit PAb, Antigen Affinity Purified, Immunohistochemistry

Immunochemical staining of human CA4 in human kidney with rabbit polyclonal antibody (1  $\mu$ g/mL, formalin-fixed paraffin embedded sections). Positive staining was localized to renal tubules.



Carbonic Anhydrase IV / CA4 Antibody, Rabbit PAb, Antigen Affinity Purified,

# Anti-Carbonic Anhydrase IV / Car4 / CA4 antibody



Catalog Number: 103848


## Immun ohist ochem is try

Immunochemical staining of human CA4 in human lung with rabbit polyclonal antibody (1  $\mu$ g/mL, formalin-fixed paraffin embedded sections). Positive staining was localized to pulmonary



Lanes	A	
Sample (whole cell lysa	e) A431	
Sample Volum (µg/lane)	e 30	
Gel	13% SDS-PAGE reducing gel	
Recommende Concentration		
Secondary Antibody	Dylight 800-labeled Antibody To Rabbit IgG (H+L), at 1:5000 dilution.	
De	eloped using Odyssey imaging system.	
Explaination	Predicted band size: 35 kDa Observed band size: 37 kDa Additional bands at :20 kDa (We are unsure ast othe identity of these extra bands. They	

capillaries.



Lanes Items	A	В	
Sample (whole cell lysate)	293T	HeLa	
Sample quantity	0.5 mg		
IP antibody quantity	2 µg		
Protein G agarose	15 µl of 50% Protein G Agarose		
Gel	13% SDS-PAGE reducing gel		
Primary antibody	CA4 antibody at 5 µg/ml [Cat# 10472-RP02]		
Secondary antibody	Dylight 800-labeled antibody to rabbit IgG (H+L), at 1:5000 dilution.		

Carbonic Anhydrase IV / CA4 Antibody, Rabbit PAb, Antigen Affinity Purified, Immunoprecipitation