

# Human BSG/UNQ6505/PRO21383 (His tag) recombinant protein



Catalog Number: 518841

## General Information

### Gene Name Synonym

Basigin, 5F7, Collagenase Stimulatory Factor, Extracellular Matrix Metalloproteinase Inducer, EMMPRIN, Leukocyte Activation Antigen M6, OK Blood Group Antigen, Tumor Cell-Derived Collagenase Stimulatory Factor, TCSF, CD147, BSG

### Protein Construction

A DNA sequence encoding the Human BSG/UNQ6505/PRO21383 Ala22-His205 is expressed with a 6His tag at the C-terminus.

### Organism

Human

### Expression Host

Human Cells

## QC Testing

### Purity

>95% as determined by SDS-PAGE.

### Endotoxin

<1.0 EU per  $\mu\text{g}$  protein as determined by the LAL method.

### Stability

Store for up to 12 months at  $-20^{\circ}\text{C}$  to  $-80^{\circ}\text{C}$  as lyophilized powder. Aliquots of reconstituted

samples are stable at  $< -20^{\circ}\text{C}$  for 3 months.

### Formulation

Lyophilized from a  $0.2\ \mu\text{m}$  filtered solution of 20mM PB, 150mM NaCl, pH 7.2.

### Usage Guide


### Storage

Lyophilized protein should be stored at  $< -20^{\circ}\text{C}$ , though stable at room temperature for 3 weeks. Reconstituted protein solution can be stored at  $4-7^{\circ}\text{C}$  for 2-7 days.

### Reconstitution

Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than  $100\ \mu\text{g}/\text{ml}$ . Dissolve the lyophilized protein in ddH<sub>2</sub>O. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

### SDS-PAGE



Human BSG/UNQ6505/PRO21383 (His tag)  
recombinant protein