# **Anti-CDC42 antibody**

Catalog Number: 100815



#### **Product name**

Anti-CDC42 antibody

## **Immunogen**

Human CDC42 (GST Tag) recombinant protein

#### **Specificity**

Human CDC42

## **Antibody description**

Rabbit polyclonal to CDC42

## **Preparation**

Produced in rabbits immunized with purified, recombinant Human CDC42 (rh CDC42; P60953-2; Met1-Cys188). CDC42 specific IgG was purified by Human CDC42 affinity chromatography.

#### **Formulation**

0.2 µm filtered solution in PBS

## **Storage**

This antibody can be stored at  $2^{\circ}\text{C-8}^{\circ}\text{C}$  for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at  $-20^{\circ}\text{C}$  to  $-80^{\circ}\text{C}$ .

Preservative-Free.

Sodium azide is recommended to avoid contamination (final concentration 0.05%-0.1%). It is toxic to cells and should be disposed of properly. Avoid repeated freeze-thaw cycles.

## **Clonality**

Polyclonal

#### **Ig Type**

Rabbit IgG

## **Applications**

ELISA, WB, IP

#### **Dilutions**

WB: 5-10 µg/ml

ELISA:0.1-0.2 μg/mL

This antibody can be used at 0.1-0.2  $\mu$ g/mL with the appropriate secondary reagents to detect Human CDC42. The detection limit for Human CDC42 is < 0.039 ng/well.


IP: 1-4 µg/mg of lysate

#### **Validations**



Lanes	А	В	c
Sample (whole cell lysate)	HepG2	Jurkat	Hela
Sample Volume (µg/lane)	30	30	30
Gel	13%SDS-PAGE reducing gel		
Recommended Concentration	5-10 µg/ml		
Secondary	Dylight 800-labeled Antibody To Rabbit IgG		
Antibody	(H+L), at 1:5000 dilution.		
Developed using Odyssey imaging system.			
	Predicted band size : 21 kDa Observed band size : 21 kDa		
Explaination	Additional bands at: 35 kDa (We are unsure as to the identity of these extra bands. They are possible non-specific bindings).		

CDC42 Antibody, Rabbit PAb, Antigen Affinity



	Lanes	<b>A</b>
	Sample (whole cell lysate)	Jurkat
	Sample quantity	0.5 mg
	IP antibody quantity	2 µg
	Protein G agarose	15 µl of 50% Protein G Agarose
	Gel	13% SDS-PAGE reducing gel
	Primary antibody	GST-CDC42 antibody at 5 µg/ml
t	Secondary antibody	Dylight 800-labeled antibody to rabbit IgG (H+L), at 1:5000 dilution.

Purified, Western blot

CDC42 Antibody, Rabbit PAb, Antigen Affinity Purified, Immunoprecipitation