# **Anti-RNF111 antibody**

Catalog Number: 176626



#### **Product name**

Anti-RNF111 antibody

## **Specificity**

Human

## **Antibody description**

Rabbit polyclonal antibody to RNF111

## **Preparation**

This antigen of this antibody was recombinant protein within human rnf111 aa 795-994 / 994.

#### **Formulation**

Liquid, 1\*TBS (pH7.4), 0.2% BSA, 50% Glycerol. Preservative: 0.05% Sodium Azide.

## **Storage**

Store at +4°C after thawing. Aliquot store at -20°C. Avoid repeated freeze / thaw cycles.

#### **Clonality**

Polyclonal

#### Ig Type

Rabbit IgG

#### **Applications**

WB, IHC-P

#### **Dilutions**

WB: 1:500-1:2,000

IHC-P: 1:50-1:200

#### **Validations**




Fig1:; Western blot analysis of RNF111 on different lysates. Proteins were transferred to a PVDF membrane and blocked with 5% NFDM/TBST for 1 hour at room temperature. The primary antibody ( 1/500) was used in 5% NFDM/TBST at room temperature for 2 hours. Goat Anti-Rabbit IgG - HRP Secondary Antibody (HA1001) at 1:200,000 dilution was used for 1 hour at room temperature.; Positive control:; Lane 1: K562 cell lysate; Lane 2: 293T cell lysate; Lane 3: Hela cell lysate

Fig2:; Immunohistochemical analysis of paraffinembedded human placenta tissue using anti-RNF111 antibody. The section was pre-treated using heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0) for 20 minutes. The tissues were blocked in 1% BSA for 30 minutes at room temperature, washed with ddH; 2; O and PBS, and then probed with the primary antibody (1/100) for 30 minutes at room temperature. The detection was performed using an HRP conjugated compact polymer system. DAB was used as the chromogen. Tissues were counterstained with hematoxylin and mounted with DPX.