Mouse Podoplanin (His & Fc Tag) recombinant protein

Catalog Number: 503796



General Information

Gene Name Synonym

Aggrus; Glycoprotein 38; OTS-8; PA2.26 antigen; T1-alpha; Transmembrane glycoprotein E11

Protein Construction

A DNA sequence encoding the extracellular domain (Met 1-Leu 141) of mouse PDPN (NP_034459.2) precursor was fused with the C-terminal polyhistidine-tagged Fc region of human IgG1 at the C-terminus.

Organism

Mouse

Expression Host

Human Cells

QC Testing

Activity

Immobilized mouse PDPN-Fch at 10 μ g/ml (100 μ l/well) can bind biotinylated human CLEC1B-His (Cat:501731), The EC₅₀ of biotinylated human CLEC1B-His (Cat:501731) is 0.04-0.08 μ g/ml.

Purity

> 97 % as determined by SDS-PAGE

Endotoxin

< 1.0 EU per μg of the protein as determined by the LAL method

Stability

Samples are stable for up to twelve months from date of receipt at -70°C

Predicted N terminal

Gly 23

Molecular Mass

The recombinant mouse PDPN/Fc is a disulfide-linked homodimer after removal of the signal peptide. The reduced monomer consists of 367 amino acids and has a predicted molecular mass of 40.6 kDa. In SDS-PAGE under reducing conditions, the apparent molecular mass of rmPDPN/Fc monomer is approximately 60-65 kDa due to glycosylation.

Formulation

Lyophilized from sterile PBS, pH 7.4

- 1. 5 % trehalose and mannitol are added as protectants before lyophilization.
- 2. Please contact us for any concerns or special requirements.

Usage Guide


Storage

Store it under sterile conditions at -20°C to -80°C. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.

Reconstitution

Adding sterile water, prepare a stock solution of 0.25 mg/ml. Concentration is measured by UV-Vis.

SDS-PAGE



Mouse Podoplanin / PDPN Protein (His & Fc Tag) SDS-PAGE